Index For "Body" Section Click on page numbers to the right of the description to jump you to that specific page.

Symbols 47'-53' Chevy Pickup В Bear-Claw Latches 168-170 Body Cushion164 Patch Panels192 Shim Kit164 Bullnose.....161 **Bumpers** Deck Lid & Trunk175 Door.....173

С

Check Straps	173
Cowl	
Lacing	162
Vent Filler Panels	193

D

Deck Lid
Bumpers175
Handle Pad174
Handles175
Hinges174
Latches
Props165
Door
Bottoms192
Bumpers173
Checks
Handle
Pads174
Regulators171
Handles
Outside174
Hinges172
Jam Switches173
Latch Striker170
Latches168, 169, 170
Latch Mounting Plates170
Poppers172
Props168
Release Kits171
Weather-Stripping164

F

Felt Channels	177
Fender Welting	164
Final Touch Front Roll Pan	193
Firewalls	192
Floorboards	192

Frame
Horn Covers161
Webbing164
Frenching
Tag Boxes178
Front
Roll Pan193
Splash Apron
Mounting Hardware161
Splash Aprons161
Fuel
Doors
Filler Assembly189, 191
Filler Hose190
Filter Mounting Bracket189
Filters
Injection Pump188
Pickup Tube190
Pump Access Door193
Pumps
Regulator
Tanks185, 186, 187, 188

G

Gas	
Caps189,	191
Tank Mounting Straps	.190
Tanks185, 186, 187,	188
Tank Vents	.190
Grille Shells	.161
Grommets	.160

Η

Н
Handle Regulators171
Headlight
Bar
Bolts159
Pads159
Bars159
Conduits160
Mounts159
Stands
Hi-Boy Headlight Mounts159
Hidden Hinges
Hinge
Pin Mirrors181
Pins173, 181
Hood
Braces167
Bumpers162, 167
Caddys165
Handles
Hinge Brackets163
Hinges163, 166
Lacing162, 164
Latch Clips
Latches
,100

Μ

Mirrors Outside180, 181
0
Outside Door Handles174 Mirrors180, 181
Р
Patch Panels192Peep Mirrors180Pickup180Taillight Brackets158Pipe Bungs190Poppers172Post Mirrors181Power
Trunk Lift Kits
Q
Quik-Latch 167
R
Radiator

Radiator
Ornaments161
Support
Rod Brackets160
Rod Covers160
Rods160
Rear Frame Horn Covers 161
Rear-View Mirrors180, 181
Recessed
Firewalls192

Index For "Body" Section Click on page numbers to the right of the description to jump you to that specific page.

Tag Boxes178	I
Roll Pan / Front193	
Rubber Bumpers	
Door173	
Trunk / Deck Lid175	
Rubber Pads	
Door Handles174	
Taillights158	
Trunk Handle174	
Run Channels177	

S

Safety Door Locks	172
Seal Material	
Shell Grommets	160
Shells	161
Splash Aprons	161
Striker Bolts	170
Suicide Safety Door Pins	172
Support	
Rod Brackets	160
Rods	160

Т

Tag
Brackets178
Frames178
Lights178
Taillight
Brackets158
Conduits158
Mounting pads158
Stand Mounting Pads158
Stands158
Wire Shields158
Tailpans 192
Threaded Bungs190
Transmission Covers192
Trunk
Bumpers175
Handle Pad174
Handles175
Hinges174
Latches175
Lift Kits175
Poppers172
Props165, 175
Release Cable Kits174
Weather-Stripping162, 164
U
Upper Windshield Stanchions179
W
Weather-Striping Kits162, 164



Taillight Stands to Fit '37 Ford Taillights



NOT an Original Design Stand for '37 Ford Car



The '37 Ford taillight is a great looking unit and has always caught the attention of the car builder but the problem has always been how to mount it. New So Cal Speed shop has answered that question with

it. Now So-Cal Speed shop has answered that question with these beautiful 90 degree stainless mounting brackets that fit the 37 taillight and allow universal mounting to any flat surface while concealing



att Early Pickup Taillight Brackets



***28-*66 Pickup Taillight Wire Shields & Conduits Generally Ford Applications But Can Be Universal**

Taillight wire shields cover the wires exiting out the back of the taillight housing. The wire shield is polished stainless and has fingers to hold the end of conduits. Conduits are flexible 19" long spiral stainless covers to hide the wires until you get it under the bed side.

Wire Shields (Each) \$9.95 Wiring Conduits (Pair) \$12.95



Taillight Brackets Ford Passenger Car Applications

Bolt on as originals. 33'-34' brackets have no angle so they can be used on either left or right side. Threaded "step pad" hole offered for 33'-34' rumble seat cars.

	Left Side (Driver)	Right Side (Pass)				
'28-'31Black	VIN A-13471 \$14.95	VIN A-13470\$14.95				
'32Black	VIN B-13471 \$32.95					
[•] 32Chrome	.VIN B-13471-C \$49.95					
'33-'34 (Chopped)BlackWithout Step Plate Hole (Left or Right) VIN 40-13471-CHP\$45.95						



Taillight & Taillight Bracket Pads Ford Applications - Not All Available Applications Listed

Superior quality rubber pads with moulded lip around outer edge. Pay close attention to description application and for quantity included.

		1 5	
'28-'31	Bracket To Fender Pad (Each)	VIN A-13520	. \$2.95
'33-'34	Bracket To Fender Pads (Pair)	VIN 40-13520	. \$5.95
'38-'39	Taillight Housing To Fender Or Body (Pair)	VIN 81A-13520	. \$5.95
'42-'48 <u>Original</u>	Taillight Stanchion To Fender Pads (Pair) - As Origina	al VIN 21A-13420/1	. \$5.95
'42-'48	Light Housing To Fender Or Body (Pair)	VIN 21A-13520(1)	. \$5.95
¹ If mounting taillight	ts without original stanchion - Popular as these are use	ed on many cars other than '4	2-'48.

One Hundred Fifty Eight

3904 Miles Rd. / Sachse, TX. 75048

'32 VIN B-13130 \$4.95

"Hi-Boy" Headlight Mounts

Mounts To Upper Shock Bracket

Forged polished stainless mounts attach with shock bolt through upper shock bracket. Fits all Vintique headlights including the "Deitz" and "King Bee" styles. Polished head stainless shock bolts with stainless ny-loc nuts included. Sold in pair sets. Hi-Boy Headlight Mounts (Pair)VIN HR-13125/6-SS....\$59.95

So-Cal "Hi-Boy" Headlight Mounts

So-Cal designed headlight mounts bolt to the top of the frame rail. Manufactured from high quality stainless steel and polished to a high luster. Polished stainless carriage head style mounting hardware included.

Model A Bars Will NOT Clear '32 Grille Shell!

5/8" Mounting Hole (Fits '34 Commercial Headlights)...... SOC 60501....... \$99.95

Ford Applications

Dropped Headlight Bars

'32 Bar (42-1/4" Long - U.S.A. Made) VIN 18-13114-SS....\$199.95 ¹ The '28-'29 bar does not have the pictured "bow" in the middle. It has a more rounded drop where the bar leaves the fender but between the headlights the bar is straight.

> **Headlight Stands** '33-'34 Ford Passenger Car

Chopped style stands manufactured from deep draw steel stamping with best fit & shape available. Sold in Pair Sets.

Chrome Plated......VIN CHP-13125/6-C...\$59.95

Headlight Bar & Stand Pads **Ford Applications** '28-'29...... VIN A-13130-AS \$3.95 | High quality rubber pads are the correct '30-'31..... VIN A-13130-BS \$3.95

size and shape for each application. All feature molded lip around outer [•]33-[•]34......VIN 40-13130...... \$4.95 edge. All sold in pair sets.

Headlight Bar & Headlight Stand Bolts

Ford Applications - Polished stainless steel with correct style head for each application. Stainless nuts included. Check part description for quantities of each.

'28-'31 Bar Bolts (Full Set of 4)......VIN A-13130-MBSS\$8.95 '32 Bar Bolt (Each).....\$5.50 '33-'34 (Drilled For Horn Wire) (Each) VIN 40-13119-SS.......\$8.95 '33-'34 Bolt (Smooth - No Hole) (Each)..... VIN 40-13119-SSNH.....\$7.95







B

0

D









Order Toll Free: 1-800-495-3904 🐸 Tech. & Info. Line: 1-972-495-1557



Braided Headlight Conduit



Secured End Installation - Won't Pull Off

Braided stainless headlight conduit features aluminum ends with steel threaded studs that make a screw together end that traps the braid and prevents it from being pulled off. The conduit kits come in 12" lengths but can be shortened if needed. Conduits also feature four color coded wires already pulled through. Braided Headlight Conduit Set (Pair)LKR HL-1900...... \$79.95

O.E. Style Headlight / Horn Conduit Set (3 Pc. Set) '28-'32 Ford - Original Style

Radiator Shell Grommets - Model A & '32 Ford



Conduit set includes two headlight conduits and one horn wire conduit should you have an exposed horn. Listed for '28-'32 Ford but can be used in many applications. Headlight conduits have ferrules to hold them to the headlight retaining nut.

Headlight / Horn Conduit Set \$9.95



Radiator Shen Grommets modern & 52 roru
Quality rubber grommets fit into side of grille shell for headlight & horn (if equipped) conduits to
install into Sold in sets depending on year requirements



	instantinto. Solu in sets depending on year requirements.				
	'28-'29 Ford (3 pc. Set)	VIN E	B-14567-A	S \$2.5	50
	'30-'31 Ford (3 pc. Set)				
J	'32 Ford (2 pc. Set)	VIN F	3-14567-C	S \$2.5	50

Radiator Support Rod Firewall Brackets



O.E. For Ford Applications

'28-'32 Bracket Is Used On Most Cars With Smooth Firewall



Radiator Support Rods



Radiator Support Rod Thread Covers

Shown With One Long One Installed For Effect – Rods Not Included Polished stainless covers are actually the tightening nuts with polished stainless sleeves that cover the unsightly exposed threads on the radiator support rods. Kit includes two 5/16" and two 3/8" covers for common '28-'31 and '32-'39 Ford applications but may be used on others. Radiator Support Rod Thread Covers (Kit)......DMC B-8133-SSTC ... \$39.95

I "Universal" 35" Rod Kit Available

32 Ford Grille Shell & Insert

Steel Shell is die stamped stock height and features filled radiator cap and crank hole openings. Displays fine detail with rolled bead before hood welting recess and reinforced angled holes for trim installation along with original style slotted holes for welting hooks. Discretely pre-dimpled center location for headlight grommet placement should you want to drill them out.

Grille Insert is polished stainless steel also stock height without crank hole and includes mounting hardware. Polished stainless perimeter and grille bars.

'32 Ford Radiator Splash Apron (Chopped)

Die stamped steel apron features smooth rolls and is chopped 2" from stock height. Painted black.

Chopped Radiator Splash Apron......VIN B-16527-CHP \$29.95

These hold the spreader bar and bumper irons (if running a bumper) to the end of the frame horns. The front bolts in this kit are the special because they are the right length to come flush to the inside of the frame plus they are drilled and taped for the splash apron to attach

'32 Ford Rear Frame Horn Covers

Die stamped steel covers include anti-squeak rubber channel lacing and plugs. Sold in pair sets.

Official Licensed Product of the Ford Motor Company - Radiator Ornament Emblems

Excellent in detail with porcelain inlays and shaped to fit perfectly. Each has the proper mounting stud with nut and lock washer. Use silicone on emblem and tighten nut with your fingers. We know from experience, it will break.

	\mathcal{O}	2	0
32 Passenger & 32-35 Pickup (Blue Inl	lay)	. VIN B-8212	\$19.95
32 Passenger & 32-35 Pickup (Black In	ılay)	VIN B-8212-E	3 \$19.95
33 Passenger (Blue Inlay)		.VIN 18-8212	\$19.95
34 Passenger (Blue Inlay)		.VIN 40-8212	\$19.95

'32 Ford Shell So-Cal Bullnose & Cowl Spears

Polished stainless bullnose is shaped to fit the Brookville Roadster & Vintique steel filled shells and can be worked to fit others. Use '32 Ford emblems above. Stainless spears add a finishing touch to any car with center hood hinge. Long spear for filled cowls and a short spear to stop before the vent. Both attach with automotive grade double sided tape.

Fax Number: 972-495-0057

'32 Ford Front Splash Apron Hardware Kit





B

0

D











Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Universal Lacing By-The-Foot & Hardware

Quality woven cotton lacings. Split rivets install through the lacing and are spread



apart on the backside of either the shell or the cowl on steel cars. Glass cars we've screwed them down into the fiberglass with common self threading hardware. Hooks attach to the end of the lacing and slip into a slot in some steel shells and

as the lacing stretched you would pull it down to the next slot to tighten it back up.

"Oval" Lacing	. 9/16" Wide X 7/16" Tall (Per Foot)	
"Two-Bead" Lacing	1/2" Wide X 3/16" Tall (Per Foot)	VIN 11500 \$1.75
"Two-Bead" Lacing	5/8" Wide X 3/16" Tall (Per Foot)	VIN 11501 \$2.00
"Two-Bead" Lacing	3/4" Wide X 3/16" Tall (Per Foot)	VIN 11502 \$2.25
Split Rivet (Long)	For Oval Lacing (10pk)	VIN 16739-LR \$2.00
Split Rivet (Short)	For Two-Bead Lacing (10pk)	VIN 16739-SR \$2.00
Lacing Hooks (Pair)		



Original Style Radiator Shell & Cowl Lacing Kits Ford Applications

Not All Available Kits Are Listed, Call For Other Applications

Original style and material with correct shape and thickness with appropriate hardware for each application listed. Call for more information about any particular kit.

	Shell Lacing		Cowl Lacing
'28-'29 Pass & Pickup			
'30-'31 Pass & Pickup	VIN A-16739-BS \$11.50		VIN A-16740-BS\$13.95
'32 Pass & '32-'34 Pickup	VIN B-16739-S\$16.95		VIN B-16740-S\$16.95
'33-'34 Passenger Car	. VIN 40-16739-S \$10.95		VIN 40-16740-S\$13.75
'35 Passenger Car	. VIN 48-16739-S \$10.95		
'35-'37 Pickup	. VIN 50-16739-S\$10.95		
'35 Pass & '35-'37 Pickup	VIN 48-16740-S\$13.75		
'37-'40 Pass & '38-'41 Pickup	VIN 78-16740-S\$13.75		
'41-'48 Passenger			VIN 11A-16740-S\$7.95

Universal Cowl & Shell Lacing Material



Self adhesive lacing material is manufactured from sponge rubber like material. Rectangular in shape, this lacing gives fair support because of its solid sponge rubber design. Sold in 8' rolls. Small (3/8" Wide X 3/16" Tall)...... VIN HR-16739....... \$7.95 Large (5/8" Wide X 3/8" Tall)...... VIN HR-16740....... \$8.95

Early Ford Hood Bumper Kits

	'28-'29 All (24 pieces)	. VIN A-16761-AS	. \$4.50
VELOD	'30-'31 All (24 pieces)	. VIN A-16761-BS	\$4.95
	'09-'31 All (Hood Corners - Pr.)	. VIN A-16622-RS	\$3.50
	'32 Car / '32-'34 Pickup (12 pieces)	VIN B-16761-S	. \$9.50
'33-'34 Car (14 pieces)		VIN 40-16761-S	\$9.50
'35 Car / '35-'37 Pickup (16	pieces)	VIN 48-16761-S	\$9.50
'38-'39Std. Car / '38-'39 Pic	ckup (14 pieces)	.VIN 81A-16761-S	\$9.50
'39Dlx-'40 Car (14 pieces)		.VIN 91A-16761-S	. \$9.50
ne Hundred Sixty Two		3904 Miles Rd. / Sachse, T	X. 75048

'32+ Ford Style Hood Hinge Strips

For replacing a factory piano-style hinge with a more attractive '32 and later Ford style center hinge, or starting from scratch with a custom 4-piece hood. Steel hinge halves are welded to the hood top pieces, and the polished stainless outer hood strip slips over the rolled edges. Hinge strips are 48" and can be cut to length. Use 48" Ford Center Hood Hinge listed just below.

Hood Hinge Strips.......DMC V16-24780-060 .. \$39.95

'32-'36 Ford Center Hood Hinge Polished stainless center hood strip for '32 or '33-'36 factory style 4 piece hoods. For custom applications, a universal strip is offered measuring 48" long.

 \sim

Early Ford Four-Piece Style Hood Hinge Brackets

Triple chrome plated and includes mounting screws. B-8220 (pictured right) bracket is used on most fiberglass cars for both the front and rear hinge mounting.

8		0 0	
'32 Pass & Pickup	Front Bracket	VIN B-8220	\$9.95
'32 Pass & Pickup	Rear Bracket	VIN B-8221(1)	\$16.50
'33-'35 Passenger	Front Bracket	VIN B-8220	\$9.95
'33-'36 Passenger	Rear Bracket	VIN B-8220	\$9.95
¹ Steel Car Only - If Fib	erglass Car Use B-82	20 Bracket For Rear A	lso.

Polished stainless steel reproductions exactly like the originals. Excellent quality! Priced each. '28-'29 Pass & Pickup (3 hole)...... VIN A-16750-ASS.... \$12.95 '30-'31 Pass & Pickup (2 hole)......VIN A-16750-BSS \$12.95 '32 Pass & '32-'34 Pickup (Left)......VIN B-16750-SS \$19.95 Latch Mounting Pads - With Molded "Lip" Around Outer Edge '28-'29 (Set of 4 / 3-Hole).......VIN A-16750-APAD \$5.25 '30-'31 (Set of 4 / 2-Hole)........VIN A-16750-BPAD \$5.25

'28-'32 Ford Hood Latch Clips

Stainless Hood Handles

Solid cast stainless steel and polished to perfection. Designed for '28-'32 Ford passenger car and pickup but these handles look great on any street rod in need of a quality handle. Includes polished stainless allenhead mounting screws. Sold in pair sets. Excellent Quality!











Ford Hood Latches

Tech. & Info. Line: 1-972-495-1557

Order Toll Free: 1-800-495-3904

B

0

Rech Slap Er

Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

'36-'48 Car & '36-'54 Truck Door Seal Kits / Universal



Universal "Extruded" Seal Material



Universal seal material from *SoffSeal* is very soft and can be easily cut to length with scissors. Seal material is black in color. All pieces come in 15' lengths.



Fender Welting







Universal vinyl welting has crushed grain texture with 3/16" diameter bead and is 1-1/2" wide. Black in color and comes in 25' rolls. Made in the U.S.A.

Black Vinyl Fender Welting (25' Roll)...... VIN B-16070-A \$14.95



Frame Webbing '20's & '30's Vehicles / Universal



Adhesive backed woven cloth type material to place between the frame and body. 2" wide X 1/8" thick. 20' roll.

Adhesive Backed Frame Webbing...... VIN B-5000-BS \$24.95



Neoprene Body Cushion '20's & '30's Vehicles / Universal

Body Shim Kit



Washers won't cut it when you have to install, remove and maybe install again shims when you're trying to adjust the body to make the doors work correctly. Kit includes (10) 2" X 1-1/2" steel shims with U-shape slot for easy installation, removal and maybe installation again. (All years)......DMC B-5000-SHK...... \$6.95

One Hundred Sixty Four

3904 Miles Rd. / Sachse, TX. 75048

Order Toll Free: 1-800-495-3904 🜮 Tech. & Info. Line: 1-972-495-1557

3 or 6 Position Self-Locking Hood and Trunk Props All Available in Black Anodized Midnight Series (Add "X-" to Part Number, Same Price)

Constructed of high quality billet aluminum and stainless steel, this adjustable level hood and trunk prop will offer great looks as well as functionality. When the hood or trunk is raised the prop

will automatically lock itself into position. This eliminates the need for two hands when opening your hood or trunk. A quick release allows the hood to be opened to its max for easy engine access. This will allow the hood or trunk to be set at various levels without any unsightly objects holding it

up. Each level of the 6-position prop increases the opening of the hood or trunk by approximately 6 inches. Each level of the 3-position prop increases the opening of the hood or trunk by approximately 12 inches. 3-Position Hood and Trunk Prop – Polished.....LKR 0401014......\$74.95 6-Position Hood and Trunk Prop – Polished......LKR 0401024......\$76.95

Prop has a captured ball & socket on one end that attaches to hood. The other end has a spring-loaded socket & removable ball stud. Attach the ball stud to an inner fender or something secure enough to hold the hood weight. Lift the hood and pull back the spring-loaded cover on the one end and secure to the ball mounted on the inner fender. To lower slip off the ball stud and secure under hood with clip provided. 25" can be shortened. Universal Hood Prop...... \$44.95

Satin finish aluminum props adjust to length Illelelet & and tighten with knurled hand nut and have protective rubber boots. These are simple props that you put in place when needed and remove completely when you don't. Short Version (16" to 30") \$24.95

All stainless hood prop kit attaches to radiator support rods. When hood is lifted simply swing arm out and rest hood on arm instead of the cowl. Support arms are rubber coated to **Universal Hood / Trunk Prop**





Early 4-Piece Style Hood Prop Kit



protect the paint on the edge of the hood. Nylon washers included to prevent rattling. Two different positions

Swing Arm Hood Caddys **Universal - For Early 4-Piece Style Hoods**

Caddy mounts in the upper corners on the firewall. The aluminum caddy body features two stainless mounting studs and the stainless hood support arm is spring loaded to pull the arm into each groove position. Simply lift the hood pull the arm around to the outward position groove and let the hood rest on the

'28-'34 Ford & Universal

vinyl coated arm. (Set - Pair) \$69.95



Fax Number: 972-495-0057

One Hundred Sixty Five



Bilt-Rite Hinges



Universal Application - Two Sizes Available

Sachse Rod Shop designed and patented. The Bilt-Rite hinge is an extremely versatile hinge system, they can be used in just about any vertical application. Its unique, universal double-compound hinge action separates the two pieces as it lifts making them very desirable. These hinges can, and have been used for just about anything including hoods, trunks, luggage trailer tops and pickup bed tonneau covers. Manufactured from 6061-T6 aluminum and supplied in plain finish but can



be highly polished. These hinges have no internal spring support so a prop or support must be used (gas shocks work very well) to hold up the hood, deck lid or whatever is being raised. Two sizes offered. There is no set guide as to which hinge will fit any particular application. We recommend the small hinges for Model A thru 34' Ford sized hoods (one piece top) and small bed covers for Model A and short bed mini trucks. The large hinges look proportionate

to the larger cars and trucks with larger hoods and beds.

	Depth	Height	Width			I
Large	7-15/16"	 	 1-5/8"	SRS 400L	\$169.95	
-				SRS 400S		



Hard Tonneau Bed Cover Hinge & Support Cylinder Kit



Kit includes a set of large "Bilt-Rite" hinges and a pair of heavy duty gas support cylinders with threaded pivot ends and "basic" hard tonneau bed cover frame construction instructions. The custom bed covers that we manufacture here in-house are made with an aluminum frame, the shocks supplied in this kit work well with this light weight frame. Illustrated instructions show step by step frame assembly and list materials needed. Cylinders measure 25-1/2" extended with 9-1/4" stroke.

Hinge & Support Cylinder Kit	SRS 425	\$234.95
Gas Cylinders Only (Pair)	SRS 420	\$69.95

Hood Hinges for Ford Cars & Pickups (Steel Bodied)



One

	-	AT	12.5
10000	1.6	20	100
404 33		-	5.4
0000	-		206

2 2 2 2	'37 Ford Passenger	
00000	Gloss Black	
Sea Dec	Polished Stainless	
'38-'40 Ford Passenger & '40	-'41 Sedan Delivery	
Gloss Black	-	
Polished Stainless		VIN 91A-16796/7-SST \$79.95
'42-'48 Ford Passenger (& La	nte 41)	
Gloss Black		
Polished Stainless		VIN 21A-16796/7-SST \$79.95
'40-'47 Pickup		
Gloss Black		
Chrome		
ne Hundred Sixty Six		3904 Miles Rd. / Sachse, TX. 75048



Suppot Bars

B

74.95 74.95 74.95

'55-'57 Chevy Under Hood Braces & Brace Supports

Hood Brace

Billet aluminum hood brace replaces the stock sheet metal support under the hood above the core support. Drilling out the original mounting rivets is required. Brace supports work only in

conjunction with the billet brace and sold in pair sets. Stainless mounting hardware included. Listed in polish finish, call for machine finish supports.

Brace Suppor	rt Bars (Pair)	Hood Braces	
'55 Chevy	EDM 274-35P \$111.95	'55 Chevy	EDM 274-30P \$17
'56 Chevy	EDM 274-36P \$111.95	'56 Chevy	EDM 274-31P \$17
'57 Chevy	EDM 274-37P \$111.95	'57 Chevy	EDM 274-32P\$1

'55-'57 Chevy Hood Latch Support Bracket	
Two piece billet aluminum assembly is a direct replacement for the stock latch and	D
support. Includes new stainless steel fasteners. '55 Chevy	
`56 Chevy EDM 274-41P\$139.95	V
`57 Chevy	

Hood Latch With Safety Catch Cable Release Style - Works With *Lokar* Hood Cable Kit



Hood Pin Kits

Traditional style pins rust and lanyards scratch the paint. With these next generation latches a simple push of a button and the hood is unlatched. The button stays in the down position until re-latched then the button pops back

up. Latches offered in three styles. Latch kits sold complete with a pair of latches, stainless ball top studs with stainless jam nuts and washers. Listed here in polished finish but available in black anodized or satin which can be painted.

Low Profile.....QCK QL-50-LPP\$299.95 GT StyleQCK QL-50-GTP\$344.95 Twist LockQCK QL-50-TWP ...\$344.95



Stainless Hood Adjusters



Universal Stud Mount Rubber Bumpers



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Model A Rotary-Claw Latch Conversion



Kit



Installation Requires

against the inner door skin in the jam where the recessed rotary-claw latch would need to install. This kit includes all the pieces necessary including the latches and will operate the new rotary-claw latches by

Bracket Welded to Door door is that the rear vertical glass run channel is right up





Kit Components:

Spring loaded handle regulators, preformed regulator mounting bracket, (Mini) rotary-claw latches, striker bolts, pre-bent hard lines with cables, linkage rods, Side View rod retainer clips, weld-on tabs for stock inside release linkage rods, crimp cable Showing Cable anchors, return springs, hardware and instructions included. Routing



Trimming, Welding/Soldering & Mechanical Aptitude To Install

the stock outside and stock inside door handles.

The spring loaded regulator will install close to the outer door skin and accepts the outer door handle square shaft. The regulator mounting bracket attaches to the door by the outer vertical door lip in the window opening slot, where the anti-rattle (cat whisker) strip installs. To attach this bracket to the vertical lip you must either drill the inner door skin to gain access through it to

secure the bracket with screws or weld the bracket in position, neither will be easy. The latch installs in the door at the position of the original dovetail box, which needs to be removed. The pre-bent hard line with cable installs from the regulator down and runs down below the glass channel then turns back up to point the cable to the latch where it attaches. This hard line comes pre-welded/soldered to the edge of the handle regulator to hold it in position. An anchor is also provided to secure the hard line to the door at the bottom u-turn. A weld-on tab is included that welds to the factory inside release rod. From this tab the linkage rod connects and extends down to the latch release arm. Model A Rotary-Claw Latch Conversion Kit (Set - 2 Doors) WF 2831........ \$159.95



Mini Rotary-Claw Latches

Miniature single rotor latch is a two position type and requires minimal effort to release. Latch features two 1/4"-20 threaded holes and comes with striker bolt and washer. These can be used in trunks, side lift hoods or ultra-light roadster doors which hinge from the front. For their size, these latches are quite strong, but they can only be as strong as the 5/16" thread striker bolt that fits them.

				0	I
U	H D	-	S		P
					0
	-				s

Door Props

Fo Be Used With Rotary-Claw Latches Only Prop latches into your rotary-claw latch and loops over the striker stud to hold the door open at car shows. Machined aluminum end that loops over

striker stud is step machined to fit over 1/2", 9/16" or 11/16" diameter striker studs. All three size latch inserts included. Sold in pair sets......\$64.95 **One Hundred Sixty Eight** 3904 Miles Rd. / Sachse, TX. 75048



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557 B O D V

Altman Easy Latch Kits

Vehicle Specific Bolt-On Rotary-Claw Latch Kits - Connects to Inside & Outside Handles

Specific bolt-in latch kits designed to replace your existing latches with rotary-claw latches. *Altman Easy Latch* kits incorporate a specially designed rotary-claw latch and contour fitting latch plates that allow you to install latches with less effort than "universal" latch and plate kits. Kits are designed to retain your stock exterior door handles and door lock cylinders as well as your stock interior door handle regulators. Each kit requires a hole to be cut in your door to allow room for the new latches which will be covered by the installation plate. All come standard with stainless striker bolts,



templates, instructions, hardware, and striker blocks or plates. Every piece of these kits is made in the USA and the rotary-claw latches are designed for each kit not just a universal latch. Also available for use without outside handles by special order.

Ford

	'37-'39 Coupe	TRI AEL01S \$349.95
	'37-'39 2-Door Sedan	TRI AEL06S \$349.95
	'37-'39 4-Door Sedan (Front Doors Only)	TRI AEL01S \$349.95
	'37-'39 Sedan Delivery	TRI AEL06S \$349.95
	'40 Coupe	TRI AEL10S \$349.95
	'40 2-Door Sedan	TRI AEL09S \$349.95
	'41-'48 Coupe / Sedan	TRI AEL11S \$349.95
	'40-'47 Pickup	TRI AEL02S \$349.95
	'48-'52 F-1 Pickup	TRI AEL03S \$349.95
	'53-'56 F-100 Pickup	TRI AEL04S \$244.95
C	Chevrolet	
	'47-'51 Pickup (Twist Handle)	TRI AEL07S \$349.95
	'52-'54 Pickup (Push Button Handle)	TRI AEL08S \$349.95
	'55-'59 Pickup (W/Custom Door Panels)	TRI AEL05S \$349.95
	'55-'59 Pickup (Stock Style Door Panels)	TRI AEL05I*\$379.95
	'60-'63 Pickup	TRI CT6063S \$349.95
	'64-'66 Pickup	



* If you want to keep the original look of the inner door (without upholstered door panels) this latch kit has a latch mounting plate with a long interior section that extends on the interior side forward to and around the window crank. This long interior panel fits inside the rolled bead of the removable panel top to bottom inside the bead.

Trique Manufacturing Rotary-Claw Latches (Locking) Locking Mechanism Is User Optional And Can Be Removed From Latch





Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Single Rotary-Claw Latches



Single claw latch is a two position type and features dual, independent release arms. The dual arms can come in handy if you're using a solenoid to open them from the outside and a door handle from the inside, when one is used it doesn't effect the other. Another reason we prefer to use the single rotor style is that its our experience that it is less likely to release on its own when you hit a major bump and the body flexes. Plus it never

hurts to save a little room in the process. Sold in pair sets with strikers.

Single Rotor Latch Mounting Plate Kit



This kit makes installing latches a lot easier and faster. Stamped to fit the 'single rotor' rotary latch these plates weld into the door after trimming out a section where you want the latch mounted. Latch mounting plate features recessed bolt head areas and includes stainless hardware. Striker bolt mounting plate has a floating nut so you can adjust the striker after installation.

Dual Rotary-Claw Latches





This is the style latch that is common among most fiberglass body manufactures. Latches are a dual rotor or claw style and are a dual position. These latches require very little effort to release and come with striker bolt with captured washer. Sold in pair sets with one left and right but can be purchased individually.

Dual Rotary-Claw Door Latches (Pair).....SRS 125\$44.95

Dual Rotor Latch Mounting Plate Kit



Fits Above SRS 125 Latches



Pre-Punched plates fit dual rotor rotary-claw latches. Plates are manufactured from 14 gauge steel. Striker plates have a captured nut for adjustment after final installation. Sold in complete sets with one left and one right door latch plates and two striker plates.

Stainless Steel Latch Striker Bolts



Stainless steel striker bolts will replace standard zinc coated strikers. They can be polished or left plain. Available in 1/2", 9/16" and 11/16" diameters. Sold in pairs. 1/2"......CAR SSS3........\$45.95 11/16" (Fits SRS 125 Latches)CAR SSS1 \$45.95

One Hundred Seventy

3904 Miles Rd. / Sachse, TX. 75048



Order Toll Free: 1-800-495-3904 🤒 Tech. & Info. Line: 1-972-495-1557

Outside Handle to Rotary-Claw Latch Connection Kit

Fits Ford Outside Handles Once converted to Rotary-Claw latches one of the biggest issues in connecting the outside door handle is the window glass will interfere with trying

to link the outside handle to the latch release which is most of the time on the opposite side of the window channels. This system incorporates a spring loaded regulator with 5/16" square hole to accept the outside Ford door handle shafts and connection rods connect from the regulator down to a pivot then another rod back up to the latch. This linkage kit clears the window glass movement in the door by linking the handle and latch under the glass channels. Bending the rods can provide additional clearance if needed...... \$119.95



Exterior Door Handle Regulator

Exterior handle regulator kit is designed to operate rotary-claw latches with your O.E.M. handles. Twist-release mechanism accepts 5/16" square shaft. Steel cable is over 75" long to connect to your rotary claw latch. This small unit is 1" thick X 2-1/2" X 2-1/2" and mounts in

your door with your handle mounting screws. Longer screws may be required in some cases. Regulator _______ housing is billet aluminum, no welding required. Sold as pair for horizontal or vertical mounting. Horizontal Door Handle Mounting Screws RHC BH-01-H \$129.95 Vertical Door Handle Mounting Screws (Shown) \$129.95

5/16" Square Drive – Early Ford Outside Door Handles

Universal regulators mount to the inside of the door and receive the square drive from outside door handle. Connect the arm from this regulator to the latch so opens when the outside handle is turned. These are obviously not a direct bolt in for any application, but they are something to work with when you have to fabricate the entire system anyway.



Universal Door Handle Regulator

Universal Outside Door Handle Regulator

5/16" Square Drive – Fits Early Ford Outside Door Handles

Universal regulators mount to the inside of the door and receive the square drive from the outside handle. Connect cables or rods off these regulators to door latch. Not a

direct bolt-in for any application but they are something to work with when you have to fabricate the system anyway. Spring loaded to return to the ready position.

Universal Handle Regulators (Pair)......\$52.95



Fits '28-'48 Ford Outside Door Handles





Carolina Custom Deluxe Hidden Hinge Kit Requires Mechanical Forethought, Extensive Fabrication & Welding - Not For The Novice Builder



This is the kit that set the standard and the only one to win an award for design and performance. The Deluxe Hidden Hinge Kit was the first to offer 90° opening. This kit is superior to many other manufactures kits when it comes to strength, durability and close tolerances

built into the product. Hinge pins are a smooth ground pin with self-lubricating brass bushings to ensure years of smooth operation and no wear. The heavy 3/8" thick cold rolled

steel hinge straps simply do not flex. Kits come complete with recessed floating nut plate for the doors and hidden switches for dome lights, etc. The separate hinges offers the installer flexibility in locating them in each particular vehicle. Thorough instructions are included.(Full Set) CAR HH600...... \$369.95



Suicide Door Safety Pins -ROCKY **Includes Aluminum Knobs**

Dead-bolt style safety pin kit comes with micro-switch, dashboard indicator light, pin bushing inserts, wire, instructions and machined brushed finish tear drop style knobs. Positive lock & unlock position by spring/ball detent made into aluminum block. (Pair) RHC MSL-001 \$68.95

Power Door Locks



Can Also Be Used As Suicide Door Safety Pins

This kit essentially utilizes the suicide door safety pin type lock and incorporates a screw motor actuator into it to power operate the action. By wiring these actuators to a keyless entry system you can have power locks from the outside of the car. This pin kit also has a micro-switch and dash indicator light to remind you if the doors are unlocked. Kits come with two complete locks, interior switch to lock & un-lock, led, pin bushing inserts, instructions and machined brushed finish tear

Flange Mount Door Poppers



Popper has approximately 40lbs of force fully compressed. Plunger is bronze bushed with O-ring seal and can be shortened to reduce opening force if needed. Features in addition to this poppers great appearance is that the unit only requires the thickness of the mounting flange (1/8" thick) and is perfect

for applications where you cannot access the back side. Hardware for steel or fiberglass

mounting and bumper included. Body measures 5/8" diameter x 2-1/4" long, 1-1/16" plunger stoke.

Slip-Collar Mount Door Poppers



Aluminum bodied door popper installs through 3/4" hole and is held in place by a slip collar with set screw from the back side. Hard plastic plunger extends 3/4" and when compressed completely has 40lbs of opposing force. Required gap between the mounting surface and

the door is only 1/16". Aluminum scuff button with sheet metal screw provided.

1" Diameter top flange (3/4" body) x 2-3/4" long. Slip-Collar Popper (Each)SRS 555 \$21.95

> "Arm" Type Door Check Straps Commonly Used In 28'-48' Ford - Can Be Used As Universal

O.E. replacement straps come with arms, rubber cushions, retainer plates and cotter pins. Sold in pair sets

"Arm" Type Door Check Straps\$5.95

Commonly Used In '28-'48 Ford - Can Be Used In Many Applications

Molded rubber straps with reinforcing fibers molded in the straps and the loop ends for added strength. Chrome strap brackets insert through the end loops in the strap and secure to door and jam. All items sold each.

7" Long Rubber "Loop" Strap (Each) \$4.50 Chrome Strap Bracket (Each) \$3.50

Common In '32-'48 Ford - Can Be Used In Many Applications

Flat reinforced rubber "T" type strap inserts from the backside through a slot in the door jam and secures to the door with the retainer bracket listed. As the door opens it pulls the strap through the slot in the jam until the large portion of the strap contacts the inner jam area.

Flat "T" Type Door Check Strap (Each)...... \$6.50 Saw Tooth Retainer Bracket For "T" Type Strap (Each)...... VIN B-162592-S \$3.50

Leather Door Check Straps Common In '28-'32 Ford Open Cars - Can Be Universal

Leather straps secure to door and jam with polished stainless retainer plates provided. When door is closed, the leather strap bows into the interior. Kit includes (2) leather straps, (4) polished stainless retainer plates and stainless screws. Leather Door Check Strap KitVIN A-702828-S......\$20.95

Ford Hinge Pins

Polished stainless steel with bright polished domed top. Priced each. '28-'31 Closed Car & Pickup 1-13/16" X .250 Dia..... VIN A-46335-SS \$4.75 '32-'48 Passenger & '32-'52 Pickup 2-3/4" X .275 Dia....... VIN B-46335-SS\$4.75

Door	Bumpers
Ford - Not All Available Applications Listed, Call For More Info.	SUDD-SM

		CONTRACTOR OF CONTRACTOR
'32-'36 Passenger & '32-'52 Pickup	VIN B-46440	\$1.50
'37-'48 Passenger	VIN 78-702610	\$1.50

Ideal for interior lights	or alarm systems. Priced each.
Pin Style (Self Adjusting & Self Tapping)	AAW 500100 \$8.95
Snap-In Button Style (7/8" Mounting Hole)	AAW 500101 \$9.95
Button Style W/Flange (3/4" Mounting Hole)	AAW 500102 \$8.95

"T" Type Door Check Straps









Door Jam Switches American





B

0

D









Outside Door Handles - Locking & Non-Locking Not All Available Applications Listed, Call For More Information <u>Model-A Customers</u> - If you want two locking handles keyed alike please inform sales person when ordering - \$9.95 additional per pair.

Replacement handles fit the body correctly and operate the original latch mechanism without modification. These handles can be adapted to work with latches other than stock. Very high quality die cast and chrome plated.

		J 0 I J	1
'28-'29 Closed Car Left o	r Right (Each)	LockingV	N A-702350-AL \$42.95
'30-'31 Closed Car Left o	r Right (Each)	LockingV	IN A-702350-BL \$42.95
'32 3-W & Cabriolet/'33-'34 Closed	d Car Left &Right (Set) Locking VI	N 40-702350/1-L \$59.95
'32 Closed Car (Exc. 3 Window & Cab	riolet)Left & Right (Set)V	N B-702350/1-L \$74.95
'32 Closed Car (Exc. 3 Window & Cabi	riolet)Right (Pass	s) Non-Locking	VIN B-702350 \$28.95
'32 Closed Car (Exc. 3 Window & Cab	riolet) Left (Drive	r) Non-Locking	VIN B-702351 \$28.95



Door Handle Pads

Ford Applications - Not All Applications Are Listed, Call For More Info. Quality rubber with molded "lip" around outer edge. Sold in pair sets.

'28-'34 Closed Car & '30-'36 Pickup \$2.95

Steel Trunk Hinges / Universal



Hinge From Top Installations Only

Cantilever style hinge separates the trunk lid away from the body as it pivots. Fabrication of some type for pivot to attach will have to be constructed inside the car body. Hinge features bushed pivot and

has slots cut in the mounting pad where it attaches to the trunk lid for some



***28-*32 Ford Original Style Trunk Hinges** Steel Cars Only

Hood & Trunk Release Cable Kits





Machined aluminum handle assembly with cables for hood and/or trunk release. Cables are a U-Cut-To-Fit design with Teflon lined housings, aluminum fittings and stainless inner wire. **Braided Housing Black Housing**

 Hood Release Cable Kits
 - Includes aluminum firewall bulkhead with 18" inside vehicle and 6' under the hood with inner wire measuring 9' long.

 Hood Release Cable
 ...LKR HR-1100HT .. \$114.95

 Mood Release Cable
 ...LKR HR-1100HT .. \$114.95

 Trunk Release Cable Kits
 - Includes cable stops with 15' of outer housing and 16' of inner wire.

 Trunk Release Cable
 ...LKR TR-1200HT .. \$129.95

 Combination Cable Kits
 - Incorporates both hood and trunk cables with dual handles. (Shown)

 Combo Cable Kits
 ...LKR CHT-1300HT .. \$227.95

One Hundred Seventy Four

3904 Miles Rd. / Sachse, TX. 75048

Cadium plated latches are cable release with single "claw" and are a one-step or single position type. Release arm is spring loaded so it returns to the ready position to release

when striker pin is inserted. The actual latch mechanism on both of these latches is identical, the only difference between the two is how they mount. Each comes with striker pin fixed to mounting plate.

Vertical Type Mounting (Pictured Left).....SRS 431\$26.95 Horizontal Type Mounting (Pictured Right)......SRS 430......\$26.95

Cadium plated latch is cable operated. Latch comes with spring loaded striker pin and instructions. Designed for to have slight cable tension applied all the time so that if the cable breaks or comes out of adjustment the latch will release allowing you access into the truck for adjustment/repair. Measures 3-1/4" X 2-5/16" and requires 1-1/4" depth. **StreetWorks**

Deck Lid / Rumble Seat Handles

Ford Applications

The highest quality die cast and chrome plated handles. either trunk or rumble seat. Rubber pad features lip around	Handle fits
either trunk or rumble seat. Rubber pad features lip around	outer edge.
'28-'31VI	N A-702352\$39.95
'32-'34VI	N 40-702352 \$40.95
Molded Rubber Pad W/Lip (Fits All Above) VIN	NA-702356-E\$2.50

Deck Lid / Rumble Seat Bumpers Ford Applications

Universal power trunk kit will raise and lower your trunk lid and will not need a latch because gear lif: will hold lid down securely. Complete lift mechanism with connection rod, brackets, hardware, paddle switch, wiring and detailed instructions. Designed for pre-38 cars.

Lift design is a shaft that extends through the side panel and twists to move

an arm connected to a second arm that attaches to the decklid. This design requires only a hole for the shaft coming through the side panel. Power is provided by a heavy duty liner actuator. Steel support structure is made to be installed on either driver or passenger side. Arms are billet aluminum and are satin finish. Comes

with wiring, mounting hardware and two-way switch. 200lb lift capacityCAR PTL-2.......\$414.95

Fax Number: 972-495-0057

Heavy Duty Power Trunk Lift Kit





Universal Trunk Latch











One Hundred Seventy Five







Power Window Lift Kits



Specialty Power Window is one of the best and easiest kits to install. System operates with a "worm drive cable" type system with high quality motors. The lift track is wide and the lift mechanism which runs on this track guides at 4 points (in two different directions) giving great stability and smooth operation. The window attaches to the lift through a "floating" nylon ball which allows the window to move in all directions so the window slides in the glass channels without binding the on the lift mechanism. Systems have the capability to lift 20" but can be shortened. All systems come with wiring harness, stainless door jam conduits, chrome switches, illustrated instruction booklet and DVD. Center console wiring harness available.

Universal Power Window Kits

"Standard" Universal Window Systems - Requires 9-1/2" below the bottom of the glass when down.	
Two Window System \$3	99.95
Four Window System SPW PWL-4C \$7	74.95
"Close Fit" Universal Window Systems - Slightly different motor combination requires only 5-1/2" belo	w the
bottom of the glass for installation. Great for use in un-chopped "T's" and other limited space applicati	ons.
Two Window System \$3 SPW PWL-2CM	99.95
Four Window System SPW PWL-4CM \$7	

Specific Application Specialty Power Window Lift Kits

These kits are engineered to be as close to, and in many cases are, direct bolt in with little to no modifications required for installation. All kits include window lift mechanisms utilizing late model GM style motors and are complete with wiring and switches. Please note that these motors will not work with original switches but may be compatible with polarity reversing relays. Please call for more information.

'28-'31 Model-A Fords - This kit is a scissor type lift kit.

	· · · · · · · · · · · · · · · · · · ·	
Model A	2-Window System	SPW 2631MA-2 \$399.95
'46-'48 Ford		
'46-'48 Coupe	2-Window System	SPW 4648FDCP-2\$399.95
'46-'48 Convertible		SPW 4648FDCV-4 \$814.95

'55-'57 Chevy (2-Door Cars ONLY) - All 4-door cars & 4-door wagons use universal PWL-4C system. As per Specialty Power Window; ALL 55-57 Chevy 2-door front doors take the same kit. It does not matter if the car is a Hardtop, Sedan, Wagon, Nomad, Delivery or Convertible they all take the same kit! The 4-window kits they have different kit numbers only because of the different quarter glass depending on body style. Post / Sedan ONLY Removing Vent Window. SPECIAL - The front lift units are similar to the street rod kit

PWL-2C and includes a front vertical channel and a glass template. The glass and run channel felts are not included. On the 4-Window systems the rear lifts are specific 55-57 bolt-in units.

2-Window System (Removes Vent Window)		SPW 5557-2CVR \$424.95
4-Window System (Removes V	ent Window)	SPW 5557-4CVR \$794.95
Post / Sedan & Wagon	4-Window System	SPW 5557-SW \$774.95
Hardtop	4-Window System	SPW 5557-HT \$774.95
Convertible	4-Window System	SPW 5557-CV \$814.95
'47-'54 Chevy Pickup - With or wi	thout ORIGINALLY equipped vent	window. If truck was factory equipped
with a vent window but you remove	ved it, you will need to use the unive	ersal PWL-2C kit.
WITH O.E. Equipped Vent Windo)W	SPW 4754PUWV-2\$399.95
WITHOUT O.E. Equipped Vent V	Vindow	SPW 4754PUWOV-2.\$399.95
ne Hundred Seventy Six		3904 Miles Rd / Sachse TX 75048

Power Window I ift Systems For I ster Model Vehicles

	Fower window Lift Systems For Later Would vehicles		
Specialty Power Window lift systems made specifically for these later model cars and trucks. Specialty			
is the industry leader not only	universal "Street Rod" kits but they hav	e also made specific kits for 💷	
many years for the earlier year	applications and have been adding to their	r lineup with these additions. 🛛 🏹 🔭	
'55-'59 Chevy Pickup		SPW 5559PU-2 \$399.95	
'67-'72 Chevy Pickup		SPW 6772PU-2 \$399.95	
'67 Camaro		SPW 67CAMHT-4 \$814.95	
'68-'69 Camaro		SPW 6869CHT-4 \$814.95	
'70-'81 Camaro	2-Window System	SPW 7081CHAM-2 \$434.95	
'64-'72 GM Mid Size (2-Door	Hardtop Cars) Chevelle /Malibu, GTO /	Lemans, Cutlass & Skylark	
·64-·65		SPW 6465MSHT-4 \$814.95	
·66-·67		SPW 6667MSHT-4 \$814.95	
·68		SPW 68MSHT-4 \$814.95	
·69		SPW 69MSHT-4 \$814.95	
·70-·72		SPW 7072MSHT-4 \$814.95	
'57-'62 Corvette	2-Window System	SPW 5762-2V \$434.95	
'61-'64 Impala		SPW 6164IMHT-4 \$814.95	

):(a:

Universal Metal Window Run Channels

Metal channels hold 5/8" wide glass felt channels and come with flat head 1/4" bolts to tack weld to the back side wherever needed. Measures 23" long.



Universal Window Felt Channels & "Cat Whisker" Strips



Run channels or "U" channels are used as the window glass guides. "Cat whiskers" are one sided fuzzy strips used on the inside opening of the body and garnish moldings where the glass slides down. All pieces are flexible and are 96" long. Extra shipping charges must be applied because of packaging and length.

Window Felt Channels / "U" Channels

A) No Bead	Cloth Covered	CRL 10G96 \$34.95
	Cloth Covered	
Cat Whisker Strips		
-	Rubber Covered	CRL M11396 \$32.95
· · · · · · · · · · · · · · · · · · ·	Rubber Covered	

Power Window Switch Crank Regulators More Power Window Switches Offered on Page One Hundred Forty Four

Regulators feature factory style splined shafts to accept your stock or aftermarket window cranks and retains the appearance of factory manual windows while having the convenience of power windows. Mechanism features internal micro switches to operate power window. Push or pull handle up and down to operate system. Measures 3" x 3" x 5/8" thick x 1-3/8" (shaft length). Sold in pairs. Made in the U.S.A.!!! Pre '49 Ford/Mopar.....CAR EPWS-FM\$139.95 Pre '49 GM\$139.95 '49-up Ford & GM.....\$139.95



B 0

Fax Number: 972-495-0057

One Hundred Seventy Seven





O.E. Style License Plate Mounting Brackets

Ford Applications - Front & Rear Brackets

Polished stainless steel brackets are the correct style and have O.E. style mounting for each application listed. Call for more information. Most brackets are also available in black powder coated finish by special order.

Front Brackets

'32 Passenger & Commercial (Pictured Right)	VIN B-5034-SS \$31.95
'33-'36 Passenger & Commercial	VIN 40-5034-SS \$27.50
'39 Deluxe, '40 Passenger & '40-'41 Commercial	
Rear Brackets	
'28-'31 / '32-'47 Pickup (Pictured Left)	VIN A-13406-SS \$20.95
'32 Passenger	VIN B-13406-SS \$27.50
'33-'36 Passenger & Pickup	
'37 Passenger	VIN 78-13406-B(1) \$22.95
'38-'48 Passenger	
¹ Black powder coated finish, not available in stainless steel.	

Recessed Tag Box



Weld-In - With Tag Light

Steel weld-in box is a full 3" deep and will accept tag frames measuring 12-3/4" wide X 7" tall. Box can be trimmed to fit non flat surfaces. Light assembly fits almost flush into the top and will require 1-1/2" above box for wire connections. Tag light, wire, connectors and instructions included. Will fit Billet Specialties tag frames. Recessed Tag Box \$69.95

Tapered Recessed Tag Panel



Weld-In - No Light

Steel panel is tapered from 1-1/2" thick on one side down to 1/4" on the opposite side. Inside dimensions 12-3/4" wide X 6-3/4 tall. Includes instructions and two screws with lock nuts. Will fit Billet Specialties license plate frames.





License Frame Surround

Sand cast in aluminum and polished to a high luster. Surround is contoured to fit a '32 roadster tail panel but is easily shaped to fit many applications. Comes complete with hardware.

License Frame Surround SOC 90704...... \$49.95

Plain License Plate Frame



Simple polished stainless perimeter frame. No brake light, no tag light, no bolts, no frills, just class... Outside dimensions measure 12-1/4" Wide X 6-1/4" Tall. Plain Tag Frame \$11.95

One Hundred Seventy Eight

3904 Miles Rd. / Sachse, TX. 75048

'32 Ford Lower Windshield Stanchions

Excellent detail in these die cast and chrome plated lower stanchions. Rubber pads with molded bead around outer edge and mounting hardware included. Sold in pair sets.

Roadster & Phaeton Lower Stanchions VIN B-37132-S\$79.95

'32 Ford Upper Windshield Stanchions Chopped 2"

Die stamped from stainless steel complete with cups and liners. Left (driver side) stanchion has hole for post mirror installation. Polished finish, sold in pair sets. Upper Windshield Stanchions...... VIN 18-37136-CHP .. \$154.95

Windshield Slide Arms

Die cast and chrome plated. Sold in pair sets. '28-'31 Car & '28-'34 Pickup (Straight) VIN A-45463-S \$10.95 '32 Passenger (Curved)...... VIN B-45463-S......\$21.95

Windshield Slide Arm Hardware '28-'32 Passenger & '28-'34 Pickup

Slide Arm Nut (Each)..... Die-Cast Chrome Plated..... VIN B-45482 \$4.50 Slide Arm Washer Set (Pair) Chrome W/Plastic Insert VIN A-45477-S.......\$6.50 Pivot Bolt & Nut Set (Pair)...Polished Stainless SteelVIN A-45475-SS.......\$7.50

Windshield Frame Studs Vintique studs have correct shoulder with tapered nut. Thread size is 3/8"-24. Made in the U.S.A. Sold each. '28-'32 Ford Windshield Frame Stud (Each)...... VIN B-37158.......\$2.75

Windshield Wing Nut

🚾 Die cast brass and chrome plated. Finest quality available. '32-'36 Open Cars (Each)...... \$6.50

Fax Number: 972-495-0057

	Windshield Frame Cone
	Windshield Frame Cone Die cast and chrome plated. Excellent quality. Sold each.
'32-'36 Roadster & Phaeton (Each)	

Meretouz	Windshield Finger Pulls
Die cast and chrome plated.	Windshield Finger Pulls Includes stainless screws. Sold in pair sets.
'28-'31 Open Car (Pair)	VIN B-37118-S\$9.95
'32-'36 Roadster & Phaeton (Pair)	VIN 18-37118-S\$13.95

One	Hundre	d Savan	ter Nin
Ulle		u seven	











B

0

D







Swan-Neck Mirrors



Retro-Style Mirrors



Stylish mirror arm is attractive yet functional by positioning mirror out far enough to see around the car. Arm is die cast and triple chrome plated with one piece bullet shape where the mirror attaches. The mirror (4" Dia.) is polished stainless steel and threads directly into the mirror arm. These mirrors also feature two mounting studs to stabilize the mirrors mounting position. Special rubber pads with lip also included. Flat glass (NOT wide angle view) only. Vintique Retro Style Mirrors (Pair) VIN SR-18402/3-S \$64.95

Universal application swan-neck mirror not only looks great but positions the mirror head out away from the car far enough to see

Replacement Mirror Head Only (Not Wide Angle View)......VIN SR-18402/3-MH... \$20.95

Billet Specialties Profile Mirror Kits

Sold in Pair Sets Only

Can Be Mounted Either High And Curving Down or Below Window Curving Upward.



Add timeless style with Billet Specialties new forged 6061-T6 aluminum mirror arms. Forged for ultimate strength, 3-D machined and mirror polished for style. Arms feature multiple mounting holes for a secure fit and can be mounted for top mount or bottom mount applications. Mirror heads feature a stainless steel swivel with a nylon bushing for smooth positive adjustment. Stainless hardware is included. All position mirror pivot 4" away from mounting surface. Oval (Offset Pivot - 2-5/16" x 4-3/16").....BLT 74920 \$199.95 Round (Center Pivot - 3-1/8" Diameter)BLT 74120 \$169.95

Universal Clamp-On Mirrors



4" Mirrors Available with Wide Angle Viewing Mirror Glass

Very popular and very universal mirrors simply clamp to the door edge. Arms are adjustable on mounting base to allow for mounting on just about any door angle. Mirror head features ball & socket type adjustment. Mirror head is polished stainless, mounting base and arms are die cast and triple chrome plated.

Standard Viewing	Left		Right	
3" Curved Arm Mirror	VIN HR-18414-L	\$27.95	VIN HR-18414-R	\$27.95
4" Curved Arm Mirror	. VIN B-18414-L	\$27.95	VIN B-18414-R	\$27.95
4" Straight Arm Mirror (E	a ch - Left or Right Sam	e Mirror)	VIN A-17741-U	\$27.95
Replacement Mirror For Above	(3") HR-18414-MH5	\$20.95	(4") B-18414-MH	\$20.95
Wide Angle Viewing				
4" Curved Arm Mirror Set (Pai	r - Includes Left and R	ight) V	'IN CNX-18414-L/R	\$72.95
4" Straight Arm Mirror (Each	- Left or Right Same N	/lirror)	VIN CNX-17741-U	\$37.95
ne Hundred Eighty		3	904 Miles Rd. / Sachse, '	TX. 75048

Replacement Parts:

Ford Application Hinge Pin Mirrors

Mirror Head - Fits All Above......VIN B-17741-MH..... \$20.95 Special Long Hinge Pin - '28-'31...... \$3.25

replacement special length hinge pins available. All sold each.

Special Long Hinge Pin - Fits 68-17741 Mirror Only...... \$3.25

Ford Application Post Mirrors

All polished stainless steel construction with new design featuring fully adjustable mirror head. Correct size thread screws directly into upper windshield stanchions. Replacement mirror heads available. Mirror head measures 4" diameter. Sold each.

'28-'29 Open Car	. VIN AR-17700-P	\$44.95
'30-'31 Open Car	VIN B-17700-P	\$44.95
'32 Open Car (Pictured)	VIN 18-17700-P	\$44.95
'32 Open Car (Chopped - Arm is 2" shorter)	VIN 18-17700-CHP	\$44.95
Replacement Mirror Head - Fits All Above (Ea.)	.VIN B-17741-MH	\$20.95

Die cast triple chrome plated arms with fully adjustable polished stainless

'28-'29...... Left or Right VIN A-17741-A \$44.95 '30-'31...... Left (Driver Side) VIN A-17741-BL \$44.95 '30-'31...... Right (Passenger Side) VIN A-17741-BR \$44.95 '32 Closed Car (Exc 3-W) Left or Right VIN B-17741 \$44.95 '32-'34 Pickup Left or Right VIN 46-17741...... \$44.95 '35-'40 Pass & '48-'52 PU Left or Right VIN 68-17741 \$44.95 '35-'47 Pickup Left or Right VIN 50-17741 \$44.95

Wide Angle View Mirror Head Only

Fits Above Listed Hinge Pin & Post Mirrors Only

While the mirror assemblies listed above are NOT available with a wide-angle-view mirror head pre-installed you can purchase this head separately should you want that feature. Measures 4" diameter with adjustable ball and socket mounting stud with 1/4"-20 thread and acorn nut. (Each)...... VIN CNX-17741-MH. \$20.95

Traffic Light Viewers

Older body styles the roof line at the top of the windshield was quite a bit further forward than today's designs and/or chopped tops & sun visors can make it difficult to see the traffic

light signal if your first at the intersection. With these viewers the prism effect of the lens at least allows you to see an obscure view of the light to know when it turns green.

Store Hours: Monday through Friday 8:00 am to 5:00 pm Saturday 9:00 am to 1:00 pm Central Standard Time











B





Dual Wipe Cable Drive Wiper System



Specialty Power Windows designed system works with a "worm drive" cable. The remote drive motor can be mounted under the dash or upper kick panel. Drive motor pulls and pushes this worm drive cable through tubing to

each wiper transmission. The wiper transmissions have a gear which mesh into the drive cable to oscillate as the cable is pulled and pushed. Sweep amount or pull on the cable is also adjustable. By how the cable comes across

the output gear it is possible to have the wipers sweep together or Fits 1/2" Or 1/4 opposite each other. Location of the wiper outputs is universal because the tubing is cut and bent to them. All are 2-speed, self-park and include switch, wiring, and instructions. The wiper output shaft is 1/4" diameter but also







comes with a 1/2" splined adapter so you will be able to install wiper arms to fit either size.

Universal Wiper Kits		-
Universal Kit	2-Speed	SPW WWK-2 \$274.95
Universal Kit	2-Speed With Intermittent (Delay)	SPW WWK-2I \$309.95
Specific Application - Specific Application - Specific Application	pecial switch and output shafts which mount in fa	actory locations and use the O.E. bezels.
'55-'57 Chevy Car	2-Speed	SPW WWK5557-2 \$359.95
'47-'54 Chevy Pickup.	2-Speed	SPW WWK4754-2 \$334.95
'55-'59 Chevy Pickup.	2-Speed	SPW WWK5559-2 \$334.95



Universal Wiper Motor Kit Must Be Used With Dash Mounted Wiper Switch

Kit includes 12 volt single speed wiper motor featuring 110° sweep and selfpark feature, telescopic stainless wiper arm, blade and instructions. Included instructions show how to shorten the wiper shaft if needed. Telescopic wiper arm measures from 7-7/8" out to 11-1/4" center to center. Wiper blade measures 11-1/4" and cannot be shortened unless you crimp the stainless holder to the rubber blade...... VIN A-17508-SS12.... \$46.95

"Quick Mount" Wiper Kit



'32 thru '36 Ford Roadster Windshield Frames (Rectangular Shape)

This wiper system makes it easy to temporarily install a wiper on your roadster. Perfect solution for when you get caught in the rain or for making the inspector happy. Motor mounts with chrome clamp-around bracket that secures with a thumbscrew and features rubber pads to protect your windshield frame finish. Motor has cloth covered wires which clips along the frame and terminate into a plastic disconnect under the dash. The mating plug is also included for you to hard wire into your wiring

harness and your supplied wiper switch. Complete kit comes with 6" to 10" adjustable stainless steel wiper arm and 6" wrist style wiper blade and instructions...... VIN SR-17508-SWK . \$129.95



Universal Wiper Motor (Only) With Switch On Back

12 Volt motor features simple on-off switch mounted in back of housing in wiper motor. 6mm shaft fits any of the Vintique clamp-on wiper arms. Motor features 110° of sweep and self-park feature. Included instructions tell how to shorten wiper shaft. Universal Wiper Motor Only......\$41.95

Camaro '67-'78

Chevy Cars '35-'66 Chevy II / Nova '62-'79

Dodge Cars....... '40-'50

Available For:

Direct Replacement Wiper Motors

Order Toll Free: 1-800-495-3904

Tech. & Info. Line: 1-972-495-1557

New Port Engineering wiper motors are direct bolt-in replacements for the listed applications however the original motors were powered either vacuum or electric. These wiper motor conversions feature all NEW motors not rebuilds and in most applications take up less room than the original motor assembly and often are better looking too. All feature two speed operation with self-park and can have a delay/intermittent switch added.

From \$229.95

Pontia	ıc	'35-'58
Studel	baker Cars.	'37-'64
Thund	lerbird	'55-'60
rucks		
		(17)70

Chevy / GMC	'47-'72
Dodge	48-'53
Ford	'48-'60
International	'50-'57
Studebaker	'49-'63
Willys	'58-'67

ve System

Polished Wiper Arms & Blades Included (Not Shown)

Not just a replacement for the original wiper motor drive but a complete system with linkage and transmission to mount the additional wiper for the passenger side. Systems feature a heavy duty 2-speed self-park electric motor, linkage and transmissions, polished stainless steel wiper arms with blades and a drill jig fixture

to drill and enlarge the driver side hole. The kit is designed to give the most sweep and install with great ease. Kits guaranteed for a full 3-years and has been time tested under extreme conditions. From \$379.95 **Available For:**

Falcon / Fairlane..... '60-'65

Firebird '67-'78

Ford Cars '37-'61

Kaiser Henry J '51-'54

Packard '38-'56

Plymouth '40-'50

Ford Cpe & Sed '26-'27
Ford Cars
Ford Cars
Ford 3/W Coupe
Ford Cars
Ford Car

Ford Car	'38
Plymouth	
Trucks	
Chevy Truck	'37-'46
Ford Truck	'32-'34
Ford Truck	'40-'47

Trucks (Continu	ed)
Ford Truck	'35-'36
Ford Truck	'28-'29
Ford Truck	
Ford Bronco	'66-'77
Scout 800	'65-'71

Intermittent Switch Kit

Add the convenient delay feature to either NewPort wiper system above with this switch kit. Switch body measures 2-1/4" X 2-1/4" X 2" deep.



Lincoln	Chevy / GMC '47-'72
Mercury	Dodge 48-'53
Mustang '64-1/2-'68	Ford
Nash	International '50-'57
Oldsmobile	Studebaker

T

Comp	lete Dua	l Wiper	Linkage	& Driv

Polished Aluminum Windshield Wiper Arms

Wipers feature adjustable blade positioning at the arm attachment to allow you to adjust the blade out of windshield in parked position. Unique mounting block will accept either 1/4" smooth or tapered-spline wiper drives that had a #10-24 thread. Blade is 7" long and crimped the full length so can be shorted if needed. Measurements



given are from end of mounting head to blade attachment point/pivot. Fully polished with accent ball milled groove so it doesn't look that bad even if you wanted to leave it on...

6" Wiper Arm Assembly (9-1/2" Total)QUE QA-6001 \$47.95 7" Wiper Arm Assembly (10-1/2" Total)QUE QA-6002 \$47.95

Stainless Wiper Arms Fits 1/2" Diameter Wiper Drives - Adjustable Length Of Arm & Blade





Finally a quality polished stainless wiper setup. Wiper arms are feature spring loaded mount and are adjustable in

Web: www.SachseRodShop.com

Email: sales@SachseRodShop.com

length of arm by simply removing, cutting to length and reinstalling. Wiper blade attaches to the arm with sturdy

spring loaded hook and pin. Blades for flat windshield measure 12" long but can be shortened to 6". Blades for curved windshields are a "wrist" style and cannot be shortened.

Wiper Arm - Straight	SPW SSST	\$22.95
Wiper Arm - Bent Left	SPW SSBL	\$22.95
Wiper Arm - Bent Right (Pictured Top)	SPW SSBR	\$22.95
Wiper Blade For Flat Windshields	SPW SSFL	\$14.95
Wiper Blade For Curved Windshields (Cannot Be Shortened - 9", 10" or 11")	SPW SSCR(?)	\$14.95

Clamp-On Hook & Saddle Style Wiper Arms & Blades Fits Vintique Wiper Motors Only - 6mm Hole

Hook and saddle style wiper blades and arms. Polished stainless wiper arms are a telescopic design and simply clamp to the smooth shaft of the *Vintique* wiper motors. Measurements given of wiper arms are from center of motor hole to center of where blade attaches. Wiper blades have a stainless support



structure. 11" Blade cannot be shortened unless you crimp the stainless backing to the rubber blade. 7-1/2" blade can be shortened if needed. Wiper Arm (Long) 7-7/8" to 11-1/4" VIN U-17529-SS \$11.95 Blade (Long)...... 11"...... VIN U-17528-SS \$4.95



Hand Wiper Assembly



Originally used on Model T and early Model A open cars this wiper features chrome finish and quality rubber blade. Measures 11" from pivot to bottom of blade, 9-1/2"

Wiper Arm Spline Adapters



Adapters attach to 1/4" wiper transmission shaft and allow installation of 1/2" or 5/8"

spline drive diameter wiper arms. Adapters are held to wiper shaft with set screws. Sold each. (2) 1/2" adapters come with Dual Wipe wiper systems. Sold Each 1/2" Adapter SPW KNURL-1/2 \$5.95 long blade.......VIN A-17655-AR\$25.95 | 5/8" AdapterSPW KNURL-5/8......\$5.95



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

27-3/4" x 17-3/4" x 8-1/2" - Metal Under Bed Pickup Tanks Shown with Aluminum Thread-On Cap, Hose Connection Filler Available

Tanks listed for use with carburetor do not have internal reservoir tray and come with bolt-in top

² Use GPA Series In-Tank Pump for Fuel Injection



B

0

D

¹ Use PA Series In-Tank Pump for Fuel Injection



14-1/4" x 10-1/4" x 36" - U2 Universal Tanks

Tanks for use with in-tank pumps (not included) feature a welded in reservoir tray that the pump pulls and returns

fuel into. Carbureted tanks do not have this tray and include a bolt-in fuel pickup and vent assembly. Threaded fuel filler with O-ring seal satin finish billet aluminum cap installs as shown centered to the rear. This tank is also available in stainless steel construction by special order.

11-1/2" x 11-1/2" x 35" - U3 Universal Tanks Shown with Aluminum Thread-On Cap, Hose Connection Filler Available

² Use GPA Series In-Tank Pump for Fuel Injection

Carbureted engines only, an in-tank fuel pump module will not fit in this tank because it is too tall and there is not enough flat area on the top to mount it. Tank is offered with either threaded neck with aluminum O-ring seal cap or angled hose connection filler. There are two locations on the tank to locate the filler on top or on the side and the tank comes with a block-off plate with gasket and screws for the unused location. Tank has braised in top mount fuel pickup and braised bung for vent. Numbers listed are coated steel but a stainless version of each is available.



15" x 7-1/2" x 34" - U9 Universal Tanks



x 35" - U3 Universal Tanl

Fax Number: 972-495-0057



USPT-G Universal Tanks - 10" x 17" x 23"



Very versatile gas tank can be used under pickup beds or under trunk floors. Tank does have a reservoir tray welded in the tank bottom under the "A" position for use with in-tank fuel pump module (not included). 2 block-off plates with gaskets are supplied for whatever holes are not utilized. This tank also has a braised in fuel pickup that exits the tank out the front in the bottom half of the tank with 3/8" npt port. A vent tube is brazed in the top pointing to the left looking at the picture. This tank is only offered in alloy steel construction. Use "G" series in-tank pumps for fuel injection.

² Use GPA Series In-Tank Pump for Fuel Injection

Universal Trunk/Bed Floor Mount Tank Shown with Alum Thread-On Cap, Hose Connection Filler Available



Designed like the Mustang / Falcon tank this tank screws down through the perimeter flanges around a 30"x 22" hole cut in the trunk floor or pickup bed. These are different than the Mustang tanks in that these accept an aftermarket fuel level sender. If the tank does not have an internal tray the fuel pickup is braised to exit out the front of the tank in the bottom half with 3/8"npt port. Fuel injected tanks will tray.



'32 Ford Passenger



Steel	Stainless Cap - Stock Depth - 11 Gallon	TNK 32Z-S ²	\$349.95
Steel	. Stainless Cap - 2" Deeper Than Stock - 14.5 Gallon	TNK 32Z-D2 ²	\$359.95
	Stainless Cap - Stock Depth - 11 Gallon		
Polyethylene Incl	udes Fiberglass Cover - Steel Neck W/Blt cap - 14 Gallon	TNK 32P	\$309.95
	² Use GPA Series In-Tank Pump for Fuel Injection.		

'32 Style Tank In A Model-A

Requires Welding & Fabrication

This conversion requires fitting and welding the steel rear frame horns to the Model A chassis. Once the frame horns are welded the rest is just bolton '32 Ford components including the gas tank, frame horn covers and spreader bar. Several '32 style tanks are offered, call if you need some help deciding.

	1 0	
Frame Horns (Pair - 24" Long)	TNK 32FH	\$56.95
Rear Spreader Bar (Pol. Stainless - Vintique)	VIN B-18575-SB	\$108.95
Frame Horn Covers (Pr. Stamped Steel <i>Vintique</i>)	VIN B-16399	\$169.95
Galvanized Steel Tank11 Gallon	TNK 32Z-S	\$349.95
Stainless Steel Tank 11 Gallon	TNK 32SS-S	\$524.95
Stainless Steel Tank 11 Gallon Galvanized Steel Tank 14 Gallon	TNK 32Z-D2	\$359.95
Poly Tank W/Fiberglass Cover 14 Gallon		



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

B 0

Polyethylene Gas Tanks Use PA Series Pumps if Converting to In-Tank Pump for Fuel Injection

Polyethylene tanks are molded from one piece with no seems meaning no chance of a seam leak. All Poly tanks feature a



"baffle tunnel" top to bottom to minimize sloshing and to support

the middle of the tank creating a strong, no sag tank. Each Poly tank is also thoroughly inspected [TANK and pressure tested. Most Poly tanks feature an area in the top of the tank that can be cut out for in-tank pump installation with integral reservoir tray. If you should order an in-tank pump assembly to use with this tank please inform the salesperson that you will be using it in a polyethylene tank as the mounting pattern is

'66-'67 Cutlass

P!

different for the poly tank. **Available For:**

Ford Victoria		' 34
Ford Delivery	•33-	.'34

Ford Car	'33-'51
Ford Pickup	'33-'41
Ford Pickup	
Mercury	

	From \$234.95
Chevy Car	
Chevy Pickup	
Dodge Car	
Plymouth	

⁴70 Chevelle

Reproduction Series Gas Tanks Use PA Series Pumps if Converting to In-Tank Pump for Fuel Injection.



These are new steel gas tanks made for each application as

general "replacement / as-stock" gas tanks. These tanks will not have se trays or top mounted fuel pickups if the original design did not.

Available For:

Dodge	
Dart	63-'76
Duster	70-'76
Charger & Coronet	66-'70
Challenger	70-'74
Pickup	39-'47
Plymouth	
Valiant	63-'66
Valiant	70-'76
Barracuda	64-'72
Belvedere & GTX	66-'67

Ford	
Car	'49-'51
Car	'55-'56
Thunderbird	'55-'56
Mustang	'64-'73
Pickup	'53-'55
Pickup	
Mercury	
Car	'49-'51
Comet	'60-'63
Comet	'67-'68
Cougar	'67-'73
Buick / Oldsmobile	
Skylark	'64-'70
Cutlass	'64-'72

3	C	ANKS
21	e	ct features such as internal reservoi
		From \$149.95
		Chevy
		Car
		Station Wagon '55-'57
		Full Size '58-'70
		Monte Carlo
	1	C

	Station wagon 55-57
	Full Size
	Monte Carlo
	Camaro
	Nova
	Chevelle
	El Camino
	Corvette
	Pickup
	GM Pickup '49-'81
P	ontiac
	Firebird
	GTO / Lemans '64-'72
_	



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Fuel Injection Ready Gas Tanks Designed For GPA Series In-Tank Fue

Designed For GPA Series In-Tank Fuel Pump Modules- Can be Used With Carbureted Engines





These tanks feature an internal fuel pump pickup reservoir tray built into the tank and accept the GPA series fuel pump modules to bolt into a pre-punched and threaded opening directly above the tray. This reservoir tray is an absolute

necessity for fuel injection. The return system is plumbed back into this tray so its guaranteed to stay solid with fuel regardless of tank fuel level. These tanks also will require an aftermarket 5-bolt type fuel level sender. Aftermarket senders are available in most ohm ranges to match to your fuel level gauge stock or aftermarket.

vailable For:	
Chevy Car	'41-'57
Chevy Full Size	'61-'66
Camaro	'67-'73
Nova	'62-'67
Monte Carlo	'70-'72

Chevelle	
El Camino	
Malibu Stn Wagon '64-'67	'
GTO / Lemans	
Skylark '64-'72	
Cutlass	,

Ford Car	'33-'48
Ford Victoria	'34
Ford Sedan Del	'33-'34
Ford Mustang	'64-'68
Ford Pickup	
1	

Popular "F.I. Ready" Tank A	Applications	64-'67 El Camino	TM37E-T	\$224.95
'55-'56 Chevy Car	556-CG\$209.95	'62-'67 Chevy II / Nova	TM41-T	\$224.95
'57 Chevy Car	570-CG\$209.95	'71-'72 Nova	TM46C-T	\$254.95
'67-'68 Camaro / Firebird7	M32A-T\$209.95	'64-'68 Ford Mustang	MU-HT	\$224.95
'69 Camaro / Firebird7	M32B-T\$219.95	'65-'66 Chevy Full Size	TM37C-T	\$254.95
'64-'67 Chevelle	M37B-T\$254.95	'65-'67 Pontiac GTO	TM37H-T	\$254.95

In-Tank Pumps for Fuel Injection

Generally for Tanks, Inc. Brand Gas Tanks / Some Can Be Universal If Using Tanks, Inc. Polyethylene Tank Please



All pump kits bolt together, NO welding required! All come with genuine Walbro pump, sealed electrical fitting, supply & return line threaded ports, vent fitting, in tank wiring connector and terminals. A fuel pickup/return reservoir is crucial with fuel injection because the returned fuel is dumped into this reservoir insuring that the pickup sock at the pump is always submerged in fuel no matter the fuel level in the tank.

<u>Pumps for "Fuel Injection Ready" tanks</u> – These Fuel Injection Ready gas tanks feature an in-tank reservoir tray already installed in the tank permanently and a small 3-1/4" diameter 6-bolt opening directly above the tray. Pumps for these tanks will bolt into the pre-punched tank opening directly above and install into the tray.

<u>All Other Tanks, Inc Tanks & Others (Universal)</u> – These pumps have a large 6" diameter top mounting flange and come with a bolt-on reservoir tray at the pump pickup. Tanks Reproduction / As-Stock tanks and others can use these pumps if a 6" flat area on top of the tank is available. Pumps are adjustable from 7" to 10-1/2" tall.

	GPA Series Pumps		PA Series Pumps	
190 Liter Per Hour – Up to 450HP	TNK GPA-2\$209.95		.TNK PA-2	\$224.95
255 Liter Per Hour – Up to 650HP	TNK GPA-4\$219.95		.TNK PA-4	\$234.95
190 Liter kitRecommended for '87-'97	Mustang 5.0L 302 CID, '	91-'93 Thur	derbird 281	CID, '88-'96
Corvette 5.7L, '85-'99 Cam	aro/Firebird and others.			
250 Liter kitCan be used as a high-perf. version of PA-2 & recommended for 502 Ram Jet 510 HP, '93-'99				
Camaro/Firebird HP, '98-'01 5.7L LS-1 and others.				

B

LS Engine Fuel Filter / Regulator

Make your fuel injection engine swap easier with this fuel filter and regulator combination. Bypass style regulator with 1 inlet, 1 outlet and 1 return. Regulates fuel pressure to 58 psi and can be used with other EFI systems that run on this pressure. Nominal micron rating: 5 Fittings sold separately to adapt the O.E. quick-connect style to -6AN.

3/8" Male Quick Disconnect to -6AN (Regulator to Engine)...... RUS 640940 \$12.95 5/16" Female Quick Disconnect to -6AN Fitting (Return Off Regulator).......RUS 644113 \$15.95

Aluminum bracket clamps around stainless GM type filter and attaches to frame with two hidden #8-32 stainless machine screws. Mounting screws are long enough that you can drill

through your channel type frame and nut from the other side or drill and tap your boxed frame to thread these into. Bracket measures 3" O.D. x 3/8" thick

Universal "Pop-Up" Gas Cap & Neck Assembly

Flat Face

Polished aluminum cap assembly you simply push in center cap and rotate to pop up the center cap so you can then grab the knurled edge center cap to un-thread if off the filler neck assembly. Filler neck assembly fits 2" I.D. hose. Outside diameter of cap is 2-3/4" with pop-up knurled grip 1-7/16" diameter and is vented.

Steel fuel door kits feature push-thru

only kit is also offered that has no box structure on the

Universal Pop-Up Gas Cap & Neck Assembly...... TNK PU3C \$94.95

gas cap, stainless steel door hinge and magnetic stereo cabinet latch push to open / push to close. Door kits with box structure attached offered either flat or curved and with hose connection either straight out the back or at a 45 degree angle. A door-

back side. Fuel-proof 6" long connection hose include	led Straight Box	45° Box
with all kits.	Straight Box Structure	45° Box Structure
Curved Face Kits	.TNK FFD-C\$114.95	.TNK FFD-AC\$114.95
Flat Face Kits	.TNK FFD-S \$114.95	TNK FFD-A\$114.95
Flat Face Kit Without Box Structure (Not Shown)		TNK FFD-K

Steel neck kit includes split threaded internal mounting ring, cork gasket, hardware, 3" long neck and knurled satin finish aluminum cap with O-ring seal.

Bolt-On Fuel Tank Neck Kit



One Hundred Eighty Nine



GM Fuel Filter Mounting Bracket



Fuel Door Kits





Web: www.SachseRodShop.com Email: sales@SachseRodShop.com





Recessed Fuel Cap "Bowl"

Fuel-Proof Connection Hoses





2" I.D. With 45 Degree bend	TNK NE-45	\$19.95
2" I.D. With 60 Degree bend		
2" I.D. With 90 Degree bend		
2" I.D. Straight (6" Long)		

Universal Tank Mounting Straps



One end has 90° folded over flange with pre-drilled hole for mounting. Other end is left flat for you to cut to length and modify as needed.

Stainless Steel

Mounting Strap T-Bolts





Weld-On Pipe Thread Bungs



1/4" NPT 4NPT-MS . \$2.95 4NPT-SS \$5.95

Universal zinc plated T-bolts have 3/8"-16 thread and measure 2" across the top and 3-1/4" leg. Sold in pair sets.

Strap T-Bolts (Pr.) TNK T-BOLTS \$11.95 | 3/8" NPT 8NPT-MS . \$3.95 8NPT-SS 86.95

Gas Tank Roll-Over Vent Valves



Valve allows air into the tank when fuel is withdrawn and lets air out during fueling or when fuel expands. These special design valves will also stem the flow of fuel in case of roll-over. The valve pictured left installs directly into tank top with 1/4" NPT threads and works best in tanks with short filler neck such as 32' & 33'-34' Fords. Any time the filler tube is higher than the tank top a remote vent valve (pictured right) must be used. This remote mount vent must be at least as higher or higher than the filler neck.

🗃 Fuel Pickup Tube

U-trim-to-fit fuel pickup tube is 13" long and installs into 3/8" npt threaded bung and has female 3/8" npt thread port for fuel line fitting installation.

One Hundred Ninety

3904 Miles Rd. / Sachse, TX. 75048

Web: www.SachseRodShop.comOrder Toll Free: 1-800-495-3904BEmail: sales@SachseRodShop.comImage: Comparison of the sector of
All stainless cap assembly features flush fitting thread in cap with O-ring seal. Cap features NO logos with only "GAS" cast into filler neck flange. Flange measures 3" diameter with bottom connection for 1-1/2" hose. Lo-Profile Gas Filler Assembly
'32-'48 Ford Locking Gas Cap
Detailed chrome plated die cast cap with polished stainless Ford Script spring loaded key hole cover. Includes 2 keys. Official licensed product of <i>Ford Motor Company</i> . Ford Script Locking Gas Cap
Ford Gas Caps '32-'48 Passenger Car / '32-'50 Pickup Smooth Top
Smooth TopNot VentedVIN B-9030-SS(¹)\$15.95 V-8 LogoNot VentedVIN B-9030-V8(¹)\$15.95 '49-'59 Passenger Car / '51-'70 Pickup Smooth TopVentedVIN 8A-9030\$8.50 ¹ Includes simple instructions for drilling an interior vent hole if desired.
Aluminum Gas Caps Aluminum Gas Caps Aluminum Gas Caps Aluminum Gas Caps Gas caps feature fine knurl for easy grip and are vented. Chevy cap fits stock 28'- 48' tanks and most aftermarket gas tanks such as the <i>Tanks, Inc.</i> brand cap fits stock 28'- 48' tanks for 1/2 twist caps. Ford cap fits stock '32-'48 tank. Dim A Dim B '28-'48 Chevy & Aftrmkt
Filler Bungs For Twist Style Caps
Available with two different sizes for either GM or early Ford gas caps. Fits GM Caps (2-9/32" O.D.)TNK 1TN \$13.95 Fits Early Ford Caps (2-19/32" O.D.)TNK 2TN
Threaded Fuel Tank Filler Bungs & Aluminum Cap
Weld-on bungs are 2-1/4" O.D. Aluminum thread-on cap with knurled edge and O-ring seal. Cap is also a replacement for all <i>Tanks, Inc.</i> tanks with thread on cap. 2" Long TNK 4BS Stainless Mild Steel TNK 4BS \$11.95 Billet Aluminum Cap With O-ring

Fax Number: 972-495-0057

One Hundred Ninety One



Replacement Firewall & Floorboard Kits Many Applications Available Both Street Rod and Late Model Call or Email for More Information



A new firewall offers several benefits. Usually the original is full of unwanted holes and modified by prior owners. A recessed firewall allows you the flexibility to locate the engine according to engine, radiator, fans, superchargers etc. The body & firewall only sets in one place on the

frame yet the engine can be moved forward or backward as much as needed to get proper clearances. Floorboard kits are manufactured clear most automatic transmissions and come with hardware and instruction booklets. All manfactured from 16 or 18 gauge steel in El Cajon CA. Available For:

Chevolet		Ford	
Car'35-'36	GM A-Body '68-'72	Car	
Car		Car	
Car'40	Pickup	Car	
Car'41-'48	Pickup	Car	
Car'49-'54	Pickup	Car	
Car'55-'57	Pickup	Car	
Impala '62	Pickup	Car	
Camaro	Pickup	Car	



'51-'52 Cpe, Sed, Fstbk

Die-formed from rust resistant steel and are fully detailed including weather strip channels. Made in the U.S.A. from material as thick as the originals.

Ford

olet	Fo	
'40 Coupe, Sedan	'35-'36 Hump, Flat, Cpe	
'41-'48 All	'37 Hump, Flat, Cpe	
'49-'50 Cpe, Sed, Fstbk	'38 Hump, Sed, Cpe	

'41-'48 (& Merc) All '49-'51 All '55-'56 All

Replacement Door Bottoms



'36 Coupe, Sedan

'39 Coupe, Sedan

'37-'38 Coupe, Sedan

EMS door bottom kits include the outer door skin and the inner door EMS. structure. The outer skin is die stamped from 20 gauge steel with proper curves and shaped 6" high and the hem flange on the outer skin is included. Inner structure is a one piece die stamped from 18 gauge steel with all proper steps for the door jam. Cross braces and other features from the originals doors are included.

'39-'40 Coupe, Sedan

Chevolet	
'37-'39 2-Door Sedan	
'37-'39 Coupe	
'40 Coupe / Sedan	
'41 Coupe / Sedan	
'42-'48 Aeroback	
'42-'48 Coupe / Sedan	
'49-'52 Coupe / Sedan	

Ford

- '35-'36 3-Window Coupe / 2-Door Sedan
- '35-'36 5-Window Coupe
- '37-'40 2-Door Sedan
- '37-'40 Coupe
- '41-'48 Club Coupe / 2-Door Sedan
- '41-'48 Business Coupe / 4-Door Sedan (Front)
- '49-'51 2-Door, Coupe & Convertible (Long Door)

