Index For "Electrical" Section

Click on page numbers to the right of the description to jump you to that specific page.

Symbols	E	L.E.D.
2 F	Electric Form	Bulbs
2 Function Remote Entry Kits	Electric Fan	Flasher
3 Function Remote Entry Kits149	Relay Kits	Shift Indicator142
55'-57' Chevy	Temp Switches	Taillights155
Ignition Switch140	Thermostate 139	Third Brake Lights15
A	Thermostats	Licence Plate
	Entry System149	Brackets
Adjustable	Flasher Switches	Frames
Electric Fan Thermostats139	Tradict Switches	Lights
Alternator	F	Lighted Bolts
Wiring Kits		Low Voltage Warning Sensor128
Alternators	Face Nuts140	M
Antennas	Fan 120	171
В	Relay Kits	Marker Lights151, 154
D	Temp Switches	Master Disconnect Switch138
Back-Up	Thermostats	Maxi Fuse138
Entry System149	Firewall Disconnects	Mega Fuse 138
Light Switch142	Fuse Box	Memory Retention Module138
Battery	Fuses	
Boxes137	G	N
Cable	G	Neutral Safety Switches142
Lugs136	Gauge Wiring Kits128	"No Load" Flasher
Pass Through Studs136	Gear Shift Indicators142	"No Load" Flasher15.
Cable Kit	Glove Box Light Kit129	P
Chargers136	Ground Straps137	
Disconnect	Ground Wire System132	Power
Memory Retention138		Plug Receptacle128
Disconnect Switch	H	Plug129
Jumper Posts136		Stud132, 133
Bracket	Halogen	Window Switches144
Mat	Headlight Conversions	Push
Trays137	Headlights	Button Entry Kits149
Brake	Headlight	/ Pull Switches134, 140
Light Switches143	Bulbs	
Line T's	Socket Kits	R
Brite	Switches	Relays
Bulbs154	Headlights	Electric Fan
Lites	Heater Switches140	Universal 40 amp
131	HEI Connectors133	Remote Entry Kits148, 149
C	Hidden	Retractable Licence Plate150
	Antennas	Rod Lights / Universal
Cigarette Lighter129	Turn Signal Kits152, 153	Rou Lights / Universal13
Courtesy Lights146	Horn Buttons 141	S
D.	Horns145	
D	Hydraulic Brake Light Switches143	Screw Motors149
Dash Knobs 141	T	Shift Indicators142
Dietz Headlights152	1	Solenoids149
Dimmer Switches 134, 140	Ignition Switches 140, 141	Split Window 3rd Brake Light15
Dome Lights	Indicator Lights128, 129	Steering Column Harness Plug134
Door	Insulated Power Stud132,133	T.
Conduits147, 149	Interior Lights129, 146	T
Jam		Tag
Conduits147, 149	K	Brackets150
Contacts		Frames 150
Switches147	Keyless Entry Kits148	Taillight
Release Kits149	King-Bee Headlights152	Bulbs154
177	T	Lenses 15

Index For "Electrical" Section

Click on page numbers to the right of the description to jump you to that specific page.

Cilck	on page numbers
Sockets	154
Wiring Terminals	154
Taillights	
Terminal Strips	
Third Brake Lights	
Tilt Levers	
Torque Converter Lo	
Transmission	1
Lock-Up Kits	142
1	131
Tri-Bar Headlights	
Trunk	
Light Kit	129
	149
Turn Signal	
	134
	134
Turn Signals	
	- , -
U	
Relay	141
Universal Dash Knobs Relay	141
Universal Dash Knobs Relay	141
Universal Dash Knobs Relay Rod Lights	141145151
Universal Dash Knobs Relay Rod Lights V	141145151
Universal Dash Knobs Relay Rod Lights V Voltage Reducers	141145151
Universal Dash Knobs Relay Rod Lights V Voltage Reducers	141145151
Universal Dash Knobs	141145151
Universal Dash Knobs Relay Rod Lights V Voltage Reducers W Wiper Switches Wire Disconnects	141145151128
Universal Dash Knobs	141145151128140, 141133
Universal Dash Knobs	
Universal Dash Knobs	141145151128140, 141133
Universal Dash Knobs	
Universal Dash Knobs	



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com



Universal Gauge Wiring Kit



Indicator Lights



12 Volt lights are held into drilled hole by plastic light body design. Small light is L.E.D., large light is incandescent bulb. All have 6" leads.

Small - 3/16" Bezel dia. • L.E.D. measures 1/8" dia. • Drill 5/32" hole. Large - 3/8" Bezel dia. • Lens measures 1/4" dia. • Drill 5/16" hole.

	Small	Large		
Red	.AAW 500215 \$4.95	 .AAW 500129\$5.95		
Green	.AAW 500214 \$4.95	 .AAW 500130\$5.95		
Blue	.AAW 500401 \$5.95	.AAW 500131\$5.95		
Amber	'	· ·		

12 to 6 Volt Reducers



For Gauge Use Only / One Reducer Per Gauge



Using 6 volt gauges in your 12 volt car? This simple bolt on reducer to make them work together. Attach the reducer to the back of the gauge, ground the wire off of it and



to the back of the gauge, ground the wire off of it and run your 12 volt power source to the post on the reducer. Works on fuel, oil pressure, and water temperature gauges.

Low Voltage Warning Sensor

Recommended for Use on Fuel Injected Vehicles - Works With 1-Wire Alternators



RON FRANCIS Low voltage sensor monitors the vehicles charging system and will illuminate a dash mounted warning light if the voltage drops below approximately 11 volts. A "warning" light is far more visible and attracts your attention much faster than a gauge. Box measures only 1-1/8" X 1-1/8" X 1/2".

Power Plug Receptacle



NOT Cigarette Lighter Receptacle





Split Sleeve Wire Loom Covering

Split sleeve covering is ideal because it self-closes to try to keep its shape and has 25% edge overlap allowing coverage around harnesses with pre-installed plugs or connectors and splices. Covering does not require additional

ties or loops to keep wires retained.

	Braided	Cloth Like
1/8" Dia 10' Length	.SRS WW-18\$6.95.	1/8" Not Available
1/4" Dia 10' Length	.SRS WW-14\$11.95.	. SRS CW-14 \$11.95
3/8" Dia 10' Length	.SRS WW-38\$14.95.	. SRS CW-38 \$14.95
1/2" Dia 10' Length	.SRS WW-12\$18.95.	SRS CW-12 \$18.95
3/4" Dia 10' Length	.SRS WW-34\$22.95.	. SRS CW-34 \$22.95
1" Dia 5' Length	SRS WW-10\$12.95,	. SRS CW-10 \$12.95



Super Bright Blue L.E.D. "Illuminator" Light StreetWorks



Glove Box Light & Switch Kit (All-In-One)





Trunk / Under Hood Light Kit



Automatic light kit features internal switch to turn light on and off depending on angle of assembly. Supply power from your running light circuit and bend mounting tab to adjust on / off angle. Body must be grounded.





Cigarette Lighter



Aluminum handled cigarette lighter requires 7/8" hole and a circuit that will handle 15 amps continuous. 2-1/2" required for mounting depth.

Aluminum Cigarette Lighter.......YOG CIGLT......\$24.95



Power Port Plug StreetWorks

Simple aluminum plug with O-ring to hold it in the power port opening when your not using it. Plug comes with 3/16" stud for you to install a dash knob of your liking. Dash knob not included.







Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Highway 15 & Highway 22 Series Wiring Harnesses

Complete Universal Street Rod Wiring Harnesses

Dash Ignition, Floor Dimmer & Headlight Switches Included





American Modular design wiring systems with convenient front (one) side only wire loading into fuse panel.

Wires affix into panel with a self locking steel screw down connection. Simply cut, strip, insert and screw down to terminate the connection. Panels are over-engineered utilizing bus bar technology, anti-push back locks and steel internal retainer springs to keep fuse lugs tight are only small part of the features built into these panels. Fuse panel protection with 175 amp stud mounted fuse block located next to the starter allows multiple high amp accessory tie-ins without stacking

on starter solenoid post. Color coded printed wire with easy to follow color instructions.

Complete Wiring for: Column turn signal wiring with connectors for GM and aftermarket columns using 4-1/4" or 3-7/8" turn signal plugs. Ignition wiring for dash mounted switch or column plugs for steering columns with switch also included. GM "SI" alternator boot and terminal for internally regulated or "one-wire" charging systems with heavy 8 gauge battery and panel feed wire. Included headlight switch and floor dimmer switch with complete wiring for all lighting circuits including dome and gauge dimming circuits. Complete gauge, turn and high beam indicator wiring with sender wiring all through supplied disconnects to allow easy gauge cluster removal. Plus accessory wiring including wipers, radio, horn and air conditioning.

Highway 22 Additional Features: 2 spare battery (always hot) accessory connections, 2 spare ignition hot accessory connections, 40 amp fan relay on fuse panel with ground side switching to coincide with popular temp and pressure switches. Fuse panel mounted "battery" and "accessory" terminal posts for connection of high amp accessories right off the panel. Separate fuel pump circuit (recommended for fuel injection), battery and ignition electronic fuel injection accessory circuits.

Power Plus 13 & Power Plus 20 Integrated Fuse Box Systems Headlight & Floor Mounted Dimmer Switch Included





For those that prefer a fuse panel with the wire already connected to the fuse panel American Autowire offers these very popular integrated fuse panel harness. Unlike the competitors these panels are complete with headlight and dimmer switches and full schematics to lay it all out so anybody can install. GM color coded and ink-jet printed.

Complete wiring for: Column with connectors to adapt GM and aftermarket columns using 3-7/8" or 4-1/4" turn signal plugs. • Gauge wiring including senders with gauge cluster disconnects. • Alternator connectors for GM "SI" series internally regulated or "One-Wire" alternators. • Lighting for all running lights, brake and directional lights, license light and third brake light. • Accessory wiring for courtesy light and dome lights. • Radio with battery and accessory leads. • Dimmer wiring for floor or column wiring. • Ignition wiring for GM column mounted (connectors included) or dash mounted switch. • All fuses, flashers and relays. • Plus much, much more.

One Hundred Thirty

3904 Miles Rd. / Sachse, TX. 75048




Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Classic Update Series Wiring Harnesses

Make & Model Specific - Designed For Use With Aftermarket Components - "Street Rodded" Harnesses

These kits accommodate all of the popular aftermarket accessories available to bring your projects electrical system up to date. Working with major equipment manufacturers in air conditioning, electric wipers, gauges, and steering columns *American Autowire* has engineered kits that easily interface with these aftermarket accessories as well as nearly all reproduction lighting assemblies. Harnesses yield complete flexibility in engine compartment and body wire routing for that custom installation. Kits include specialized components such as bolt-on fuse box mounts, headlight



switch collar nuts, correct lighting sockets, weatherproof boots, specialized grommets etc. when applicable to fit your application. The best components and detailed instructions.



	Chevrolet (Continued)
Chevrolet	Truck '67-'68 AAW 510333\$589.95
Passenger Car '55-'56 AAW 500423\$549.95	Truck '69-'72 AAW 510089\$549.95
Passenger Car '55-'56 AAW 500423\$549.95	Truck '73-'82 AAW 510347\$699.95
Passenger Car '57 AAW 500434\$549.95	Pontiac
Camaro '67-'68 AAW 500661\$599.95	GTO '64-'67 AAW 510188\$589.95
Camaro '69 AAW 500686\$609.95	Firebird '67-'68 AAW 500886\$599.95
Camaro '70-'73 AAW 510034\$589.95	Firebird '70-'73 AAW 510174\$699.95
Corvette '53-'62 AAW 510267\$795.95	Ford
Chevelle '64-'67 AAW 500981\$579.95	Falcon & Comet '60-'64 AAW 510379\$699.95
Chevelle '68-'69 AAW 510158\$579.95	Ford Falcon '65 AAW 510386\$699.95
Chevelle '70-'72 AAW 510105\$579.95	Ford Fairlane '66-'67 AAW 510391\$699.95
Monte Carlo'70-'72 AAW 510336\$669.95	Mustang '64-'66 AAW 510125\$659.95
Impala '59-'60 AAW 510217\$629.95	Mustang '67-'68 AAW 510055\$699.95
Impala '61-'64 AAW 510063\$599.95	Mustang '69 AAW 510177\$699.95
Impala '65 AAW 510360 \$749.95	Mustang '70 AAW 510243\$769.95
Impala '66-'68 AAW 510372\$699.95	Ford Bronco '66-'77 AAW 510317\$729.95
Chevy II '62-'67 AAW 510140\$569.95	Truck '53-'56 AAW 510303\$649.95
Chevy II '68 AAW 510201\$649.95	Truck '61-'66 AAW 510260\$629.95
Nova '69-'72 AAW 500878\$589.95	Ford Truck '67-'72 AAW 510368\$699.95
Truck '47-'54 AAW 500467\$549.95	Ford Truck '73-'79 AAW 510342\$699.95
Truck '55-'59 AAW 500481\$549.95	Mopar
Truck '60-'66 AAW 500560\$549.95	Cuda/Challenger '70-'74 . AAW 510289 \$729.95

GM Transmission Connectors & Pigtails

Correct harness side connector plugs for these GM transmissions

	COTTOC HOTHERD DIC	e comice
T-56 Skip Shift Module	AAW 500949	\$18.95
T-56 Reverse Lockout Module	AAW 500950	\$8.95
T-56 Vehicle Speed Sensor	AAW 500951	\$9.25
T-56 Backup Light Switch	AAW 500952	\$8.95
700-R4 Converter Lockup (No Pigtails)	AAW 500323	\$5.95
700-R4 Vehicle Speed Sensor	AAW 500619	\$16.95
4L60 Vehicle Speed Sensor	AAW 500621	\$15.95
4L60E & 4L80E Vehicle Speed Sensor	AAW 500620	\$15.95
TH400 Kickdown Connector With Boot	AAW 500176	\$11.95





Web: www.SachseRodShop.com Email: sales@SachseRodShop.com



12 Circuit Fuse Panel Only

Use this 12 Circuit OEM style pre-wired fuse block to replace your existing fuse block or as a starting point for custom wiring. All you have to do is terminate your circuit wire and attach it to the fuse block. Pre-wired and labeled for the following circuits: A/C-Heat, gauges/dash instruments, brake lights, headlights, coil, horn, dome lights, radio, electric fan, turn signals, hazards, wipers and alternator. Kit includes: mounting bracket, fuses, flashers, horn relay, terminals and full instructions.



Accessory Fuse Panels



Simple fuse panels for added-on accessory circuits. Power input lead fits onto #10-32 stud. 1/4" male spade connectors right off the side of each fuse for that circuit. Maximum current for all circuits 100 amps. Fuses not included.

6 Circuit	.3-3/8"	X 2-1/2	'SRS	4650	\$16.95
8 Circuit	.3-3/8"	X 3-1/8	'SRS	4651	\$19.95



Auxiliary Fuse Block Bus Assembly

Features 6 fuse outlets rated at 30amp each. Side ring terminals, plastic cover and heavy duty feed wire included. Block measures 1-3/8" X 4-7/8". Assembly is rated at 80amp maximum.

Auxiliary Fuse Block Buss Assembly AAW 500383 \$34.95



Double row blocks are very high quality with capability of high amperage and include plated brass screws. Jumpers designed to interconnect terminals on the blocks.

4 Gang Block		SRS 354 \$4.95
		SRS 356 \$5.95
_	7 - 37 4 10: 8 4 2	SRS 360 \$8.95
Jumpers	Ouantity of 5	SRS 365 \$1.75



Ground Wire Strip

RON FRANCIS

The best way to create common grounds for fiberglass cars and metal cars if you want to do it right. Heavy printed feed wire is connected to the battery for best results. Features 10 connection points for smaller grounds and 2 studs for larger connections.

Power Junction Block



Sometimes you need a little more room to run the power wires for all of the cool accessories you've added to your car. Just mount this junction block away from any heat source and connect your power source to it. This junction block has two 8mm studs to accept 5/16 ring terminals and 3 #8 screws for smaller items. It is much easier to wire your cooling fans, radio, or door solenoids to this than to the starter post...



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

22 Wire Bulkhead Disconnect Kit

Weather Pack style disconnect allows (10) 12 gauge and (12) 18-14 gauge wire connections. Disconnect bodies are indexed to insure correct alignment and feature waterproof seal for the 'body' side along with a waterproof seal where the two come together. Includes appropriate crimp-on wire terminal ends with individual wire seals and locking 'combs' insure the terminals connect with the mating bulkhead by not allowing them to back out from their seated position. Single 1/4" bolt that secures the halves together not only keeps the final assembly tight but during installation pulls the two together and when loosened it also separates the two eliminating possible damage by external



force. 2-1/2" tall X 3-5/8" wide (stud ears) & requires 2" hole.

Through Firewall Wiring Grommet & Disconnects

Kits feature rubber grommet that holds one side of the harness plug securely to the firewall/panel and comes with mating connector plug.

All kits include appropriate crimp on terminals that lock into place in the disconnect plugs



lock into I	mace in u	ic disconnic	ci piugs.		-/-		
4-Wire	1-1/4"	Mounting 1	Hole	AAW	500548	\$1	5.95
6-Wire	1-3/8"	Mounting 1	Hole	AAW	500564	\$1	4.95
8-Wire	1-1/2"	Mounting 1	Hole	AAW	500547	\$1	4.95
9-Wire	1-3/4"	Mounting 1	Hole	AAW	500566	\$1	7.95



Firewall Harness Cover

Universal wiring harness cover hides the bundle of wires as it comes through the firewall. Cover is a two piece design with back piece attaching to the firewall and polished ball milled cover simply attaching to it after all the wires are pulled through. Flush mounting allen head hardware included. 2-1/4" O.D. x 1-1/4" I.D. Firewall Wiring Harness CoverPRR 6060......\$49.95





Ouick Connectors Autowire For Use With 18-14 Gauge Wire

Plastic connector housings lock together and are indexed so that they fit together only one way. Complete with brass terminals that lock into the housings.





1 Wire	AAW QCK-1	\$6.00 4 W	ireAAW	QCK-4\$9.00
2 Wire	AAW QCK-2	\$7.00 6 W	ireAAW	QCK-6\$10.00
3 Wire	AAW QCK-3	\$8.00 8 W	ireAAW	QCK-8\$11.00

Insulated Junction Studs

Stud junction post has 3/8"-16 thread and glass filled nylon base in either red or black colors. Nut and washer provided with stud cover.





Ted of classic colors . That all a washer provided with stad cove		
Red Base	SRS PS-15	\$9.95
Black Base	SRS PS-16	\$9.95


GM HEI Distributor Connectors

Correct plastic connectors for HEI distributors.





GM Column Turn Signal Connector Set



American 3-7/8" and 4-1/4" connector set allows the correct terminal and connector body connection to any 1969 or newer GM steering column without the use of exposed terminals or wiring. Kit includes both male and female plugs and all terminals.

GM Column Connector Kit...... AAW 500428 \$9.95

GM Switch Connector Plugs



Headlight switch plug: Female 8-way one piece plug with terminals fits GM headlight switch. Column mounted ignition switch plugs: Two-piece plug fits GM column mounted ignition switch complete with terminals. Dash mounted ignition switch plug: "V" shaped 6-way plug with terminals.

Headlight Switch Plug	 (Left)	 AAW	500189	\$5.95
Column Mount Ignition Switch Plugs (p	` /			
Dash Mounted Ignition Switch Plug	 (Right)	 AAW	500287	\$5.95

Toggle Turn Signal Switch

Three position toggle switch can be mounted just about anywhere. Flip it toward the side you want to flash, then flip it back to the center to cancel. Special switch controls turn signal and brake circuits in rear, no extra bulbs required.

Clamp-On Turn Signal Switch



Clamp-on turn signal switch for early steering columns that **M** didn't have turn signals. Switch also features emergency flasher provision and built in lighted green indicators for both left and right signal plus a red indicator for emergency flashers. Switch will require external flasher, not provided. Instructions with wiring schematic included. Total length measures 7" from where it would mount to column to end of flasher arm.

Clamp-On Turn Signal Switch......VIN U-13340-TS.....\$28.95



Emergency Flasher Switch

American Add-on four way flasher switch. Includes instructions for easy hookup. Requires separate flasher from turn signal flasher. Mounts in 7/16" diameter hole. Includes

black plastic knob. Shaft will fit knobs with 10-32 thread.

GM Column Tilt & Turn Signal Levers W/Push Buttons



Levers Have True On/Off Switch – Momentary Type Available

Street Works Stainless steel shaft with aluminum knob levers feature a true two wire on/off switch to control just about any on/off function or even on/on features such as headlight dimmer control. Included 40A relay is a 5 wire type which has a normally closed and normally open circuitry. Give us a call and we'll be happy to help you wire this into whatever function you are wanting to control.

Turn Signal Lever (Early GM W/Single Screw Retention) STW L43D S73.95



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Chrome "CS" Alternators - NEW! - Not Reconditioned A Must For Fuel Injection - Recommended For All Cars With High Electrical Demands

In addition to a high total amperage output these *CS* case alternators have a higher idle amperage output necessary for use on fuel injected engines. Alternators offered in a true 3-wire OR 1-wire charging configuration and are NOT interchangeable between the two different charging systems. These alternators are the highest quality

alternators we carry but as everything, if you want quality it comes at a price.

	1-Wire Alternators		3-Wire Alter	nators*	
105 Amp	PWM 178021\$204.95		PWM 17802	\$199.95	So 8
140 Amp	PWM 378021\$224.95	J	PWM 37802	\$219.95	
* 3-Wire alternators are only available out of the box with a serpentine pulley installed. If					
you need a V-belt application you will need to purchase a V-groove pulley and change it.					
V-belt pulley if needed for 3-wire alternators (Chrome)PWM 110\$21.95					

Chrome "SI" Alternators Internal (3-Wire) OR 1-Wire Charging

Alternators feature unique wiring to charge in either standard internal (3-wire) or customized 1-wire charging systems. Alternator does charge in either a 3-wire or 1-wire system however it will have a slight battery draw. We recommend a battery disconnect switch to prevent battery drain down. Alternators are reconditioned and include chrome V-belt pulley and chrome cooling fan.



High Amp Alternator Kit



GM External Regulator to Internal Regulator Charging Conversion Kits



Alternator Wiring Aids





Adapter Plug - GM "SI" Harness to "CS" Series Alternator	AAW 37796	\$24.95
"SI" Diode Kit - Easy Fix When Experiencing a Power Backfeed Problem	AAW 500541	\$14.95
Rubber Stud Boot - Seals Over Battery Stud Insulator	AAW 500057	\$4.95
Int. Regulator Plug - Male Plastic Plug Fits GM "SI" Series Alternators	AAW 500201	\$4.95
Ext. Regulator Plug - Male Plastic Plug For GM External Regulator Alternators	AAW 500198	\$3.95



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

Battery Tender

12 Volt - Every Vehicle That Is Left To Sit Weeks On End Should Have One!!







A battery can lose 1% of its charge per day if it sits unused. The *Battery Tender* maintains

a constant full charge without the damaging effects of "trickle" charges. The *Battery Tender* monitors your battery by automatically switching

from charging to storage keeping it always fresh and ready.

Battery Tender Jr. (Pictured Right)

0.75 amp • 3-Step Charging (Initialization, Bulk Charge, Float/Maintenance) • Spark Proof • Fully Automatic Switching from Charge to Float • Short Circuit & Reverse Polarity Protected

Battery Tender Plus (Pictured Left)

1.25 amp • 4-Step Charging (Initialization, Bulk Charge, Absorption Mode, Float/Maintenance) • Spark Proof
 • Temperature Compensated • Fully Automatic • Short Circuit & Reverse Polarity Protected • 72 Hour Timer

Battery Jumper Post Bracket





Steel, zinc finished bracket features correct shaped "DD" holes to accept remote battery jumper posts (sold separately). This bracket is a real time-saver if you've ever tried to make these odd shaped holes, this hole shape is necessary to keep the post from turning as you tighten the post locking nut. Self-threading 1/4" mounting hardware

included. USA made.

Battery Jumper Posts





Battery Pass-Through Studs





Battery cable pass-through studs are the safe way to pass battery current through a bulkhead.

 Red Housing
 SRS 5008
 \$13.95

 Black Housing
 SRS 5009
 \$13.95

90° Battery Cable Lugs





Battery cable lugs have a 90° bend with 3/8" hole. Great for use on starter terminals or numerous other applications. Fits 1-gauge battery cable.



Order Toll Free: 1-800-495-3904 **P** Tech. & Info. Line: 1-972-495-1557

Battery Drop-Down / Out Boxes



Design allows the battery to drop down while still hanging in the frame bracket for service or you can remove the battery box from the frame bracket completely. Mounting bracket has a slot cut along the back side to allow it to be installed over a frame mounted brake line.





Group 26 (L: 8-3/16", W: 6-13/16", H: 7-3/4")


Stainless Steel CPP BDB-S26\$129.95

Group 24 (L:10-1/4", W: 6-13/16", H: 8-7/8")

Black

Optima Battery Tray

Made of billet aluminum this battery tray is designed for the popular *Optima* batteries. The tray is contoured on the bottom to the shape of the battery and the mounting strap is made to clear the battery posts and comes



with stainless hardware. Available polished or black anodized and clear coated. Polished......BLT 248915......\$99.95



Battery Cable Kits



American Autowire battery cable kits feature the lead die cast top post terminal has a molded end with a steel ring insert which enables you to tighten the connection without the risk of cracking or breaking the terminal, making this a tight connection minimizing corrosion and voltage drop. All kits include proper battery cable ends (lugs) as well as a crimping tool to make your battery cable connections as professional as possible.



	Side Post Battery	
Under Hood Battery (6' Cables)	AAW 500726\$89.95	٠.
T 1 M (1D ((10) C 11)	A ATT COOTO 4 0120 05	

Top Post Battery



Ground Straps

Braided ground straps have 3/8" eyelets on both ends.



Battery Mat




Soffseal battery mat traps & neutralizes battery acid. Measures 8" x 12" x 3/16" and can be cut with heavy duty scissors. Black in color.





Lifeline Battery Disconnect Memory Retention Module







This allows disconnect to be shut off while supplying a continuous 1 amp battery circuit to the rest of the electrical system. Devises requiring battery power for memory retention can be serviced while the rest of the system is protected from high current loads. Any attempt to draw more than 1 amp will cause the module circuit to open until the high

current draw is removed and the module will reset automatically..... AAW 500778 \$24.95



Master Disconnect Switch



Extra heavy duty design. Protects against theft and electrical failures. Includes rubber insulator boots which cover the stud and nut. Insulated

rubber boots also available separately.



Battery Disconnect Switches

Great for use as an antitheft device or to isolate your battery while charging. Switch with removable key is light duty and should be used in relatively low amperage applications.

Heavy Duty Disconnect...... Metal Cased.......... VIN A-14300-D \$26.95 Disconnect W/Key...... Plastic Cased VIN SR-14300 \$12.95

175 Amp *Mega-Fuse* Assembly





The demands on some cars electrical systems today are tremendous and require high amp charging systems to maintain therefore a higher amp fuse will also be necessary. Insulated housing has provision for 4 wire exits and is hinged to protect fuse and exposed electrical connections. Measures 1-5/8" X 5-1/4" (W/mounting ears) X 1-7/8" tall. 4 ring terminals included.



60 Amp *Maxi-Fuse* & Holder

Strong Nylon fuse holder mounts with single screw or can clip to the top of sheet metal. Kit comes complete with 60 amp fuse and white opaque slip over cover. #10 screw connections for ring style terminals.

60 Amp Maxi-Fuse Assembly With Cover SRS 5449 \$18.95

Programmable Electric Fan Controller

Triggers From Your Existing Water Temp Gauge Sender Dakota Digital



Controller works with most existing electronic water temp gauges operating from the single-wire temperature sending unit already installed or a dedicated sending unit can be used. Features fully programmable "fan on" and "fan off" temperatures to suit any application or preference and a full digital LED readout for displaying temperature readings and maintaining simple installation. Recommended mounting inside the cab of the vehicle or alternate dry environment. The use of a second relay (not included) will be required for dual fan or two speed fan operation. One 70 amp relay included.



Order Toll Free: 1-800-495-3904 **Tech. & Info. Line: 1-972-495-1557**

Adjustable Electric Fan Thermostat

Must Be Used With Electric Fan Relay Kit

Thermostatic switch features probe with 1/4" npt fitting to install in lower radiator tank when drain cock is removed. Adjustable knob allows you to dial when the fan comes on. Allows temperature settings between



180° and 240°. Can be used in conjunction with trinary safety switch.

Adjustable Electric Fan Thermostat.......VAA 24675-VUT.....\$29.95



Electric Fan Adjustable Thermostat Cover

Fits Above Vintage Air Adjustable Thermostats Only



Satin finish aluminum cover slips over adjustable thermostat. Insulated wire end terminals included.



Electric Fan Temperature Switches

Used For Triggering Relay Systems - Vintage Air Relay Harness Recommended

These are simply switches that turn on and off at the temp ranges shown. These switches have only one 1/4" spade connector so they will connect the wire attached to it to ground when above it is above its temp setting. The wiring harnesses listed right include wiring instructions for this "ground side" switching. Both switches have 3/8"npt threads.




190 Degree On / 170 Degree Off	MPF MFA108\$19.95
200 Degree On / 180 Degree Off	MPF MFA109\$19.95

Electric Fan Relay & Wiring Kits

Relay Kits Only - Requires Switch To Activate Relay

A relay is the 'middle man' between the switch and the electric fan. The switch, be it adjustable thermostatic or toggle, simply turns on and off the relay. The relay is what handles the high amp load of delivering the electricity to the fan motor. By using a relay your switch will last longer and the system is much safer.





Electric Fan Wiring Systems

All Ron Francis Wire Works systems include 30 amp fuse and high quality relays to carry the high amperage demands of todays electric fans.

Temperature Control - Ron Francis offers kits with 3/8" NPT sender to sense water temperature and turn the electric fan on and off automatically.

A/C Request - Kits with A/C request will (in addition to the temp sensor) turn the electric fan on when the A/C compressor is engaged.



Temperature Switch Range	A/C Request	MIKING		
175 Degree On / 160 Degree Off	-			
175 Degree On / 160 Degree Off				
Replacement 175 Degree On / 160 Degr				
200 Degree On / 185 Degree Off	Yes		RFW AR-24	\$86.95
200 Degree On / 185 Degree Off	No		RFW AR-30	\$70.95
Replacement 200 Degree On / 185 Degr				



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com



Aluminum Accented Face Nuts

Machined aluminum, satin finish face nuts have black O-ring accent around outer perimeter. Nuts simply thread on to your switches for a completed look to your dashboard. These may fit other manufacturers switches than what is listed.

	Headlight Face Nut	Fits AAW	500341	STW B-HLSN	\$11.95
	Ignition Switch Face Nut	Fits AAW	500006	STW L47N	\$11.95
J	Wiper Switch Face Nut	Fits AAW	500146	STW B-WSN	\$11.95



Ignition Switches

Two switches to choose from. Switch pictured left features chrome face nut and includes common plastic plug with one way wire ends to hold wires into plug. Pictured right switch features studs with nuts for wire installation and aluminum face nut. Both switches have "accessory" position and include two keys.

With Modular Plug (Pictured Left)	AAW	500456	\$24.95
With Studs (Pictured Right)	AAW	500006	\$15.95

'55-'57 Chevy "Updated" Ignition Switch & Key Cylinder



Updated to provide power to the ignition circuit when in the "crank" position, the original did not. This is a must if you've changed the ignition system or starter to something post points. Includes new chrome nut, spacer and connector. Switches do not include lock cylinder but will accept original.

Updated Ignition Switch	'55-'56	AAW 500670	\$34.95
Updated Ignition Switch		AAW 500675	\$34.95
New Lock Cylinder W/Keys	'55-'57	AAW 500672	\$18.95



Wiper Switch

2 Speed rotary style switch has "Park" position. Switch uses 1/4" female spade terminals. Black plastic knob with wiper logo included or can be replaced with knobs with 3/16" hole and set screw.

Wiper Switch AAW 500146 \$17.95



Push / Pull Switch

Simple heavy duty on/off switch. Switch accepts ring terminals. Chrome knob included (cannot be removed).



2 Speed Switch (Can Be Used For Heater or Wiper)

Push / pull type switch with OFF-LO-HI positions. Switch has built-in resistor and accepts ring style terminals. Yellow plastic knob included but can be replaced with 10-24 threaded knob. Requires 7/16" hole for installation.



Dimmer Switch



 Switch Only
 AAW 500042
 \$7.95


 Connector & Terminals
 AAW 500286
 \$3.95

So-Cal Electric Switches

More Switches Can Be Found In The Electrical Section.

So-Cal Speed Shop has assembled a quality selection of switches with the right aesthetics to compliment your hot rod. Sourced from a number of manufacturers, they have been fitted with So-Cal's own stylish Art Deco knobs and bezels.

Push Operated Horn Switch (A)	SOC 60766	\$29.95
GM Type Headlight Switch (B)	SOC 60754	\$39.95
Two-Speed Wiper Switch (C)	SOC 60750	\$29.95
Ignition Switch W/Keys (D)	SOC 60752	\$29.95
Push/Pull On/Off Switch (E)	SOC 50447	\$19.95
Keyless Ignition Switch (F)	SOC 60753	\$29.95
Headlight Switch W/Built-In High Beam (G)	SOC 50467	\$39.95



Synergy Color Accented Switches

All (Except Ignition) Include Black, Blue, Tan & Red Accent Rings RON FRANCIS WIRING

Accent rings slip on to a groove cut in the knob and switch face nut. Ignition switches are offered a specific color because the keys are molded in color (two keys included).

(two keys meradea).		
GM Headlight Switch w/ Modular Plug (A)	RFW HL-07	\$41.95
Headlight Switch W/Built-In High Beam (B).	RFW HL-16	\$39.95
Universal Aluminum Knob 3/16" Hole (C)	RFW MK-5	\$15.95
Universal Aluminum Knob 1/4" Hole (C)	RFW MK-6	\$15.95
Push-Pull On/Off Switch (D)	RFW PS-32	\$36.95
Ignition Switch (Blue) (E)	RFW IS-04BL	\$44.95
Ignition Switch (Black) (E)	RFW IS-04BK	\$44.95
Ignition Switch (Tan) (E)	RFW IS-04TN	\$44.95
Ignition Switch (Red) (E)	RFW IS-04RD	\$44.95
2-speed Switch (Heater/Wiper) (F)	RFW WS-31	\$36.95



Headlight Switch





Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

LED Shift Indicator Displays





2-Part System – Sender & Display Indicator Required *Lokar's* shift indicator features a cable operated sensor to allow flexibility of mounting to a variety of locations such as on the transmission, on the frame, to the floor pan or inner fender etc. This sensor module utilizes an easy to use <u>programmable</u> solid-state circuit board with built in neutral safety and backup light circuits. Compatible with all *Lokar* and most other shifters.

Sensor Kits (Sending Units)

	GM – Transmissions	LKR CINS-1797 \$173.95
	Ford – C4 & C6 Transmissions	LKR CINS-1799 \$173.95
	Ford – AOD Transmission	LKR CINS-1798 \$173.95
	Chrysler – 727 ,604 & 518 Transmissions	LKR CINS-17001 \$173.95

10000				
	3-Speed (PRND21)	LKR CIND-1700 \$45.95		LKR CIND-1701\$45.95
	Overdrive (PRNOD21)	LKR CIND-1702 \$45.95		LKR CIND-1703\$45.95
	Ford AOD (PRNOD1)	LKR CIND-1704 \$45.95		LKR CIND-1705\$45.95
	Shifter Boot With Indicator –	Billet Aluminum Boot Rings	With Ind	licator Window Attached. All
boots listed are rectangular type boot ring, round shifter boots available.				
3-Speed (I	PRND21 Pattern)			

Horizontal

3-Speed (PRND21 Pattern)	LKR CINB-1763	\$82.95	LKR CINB-1764\$82.95
Overdrive (PRNOD21 Pattern)	LKR CINB-1765	\$82.95	LKR CINB-1766\$82.95
Ford AOD (PRNOD1 Pattern)			

Torque Converter Lock-up Kit

Dashboard Indicators



RON FRANCIS Cable Driven Speedometer Transmissions Only

Electronic system to lock and unlock converter by vehicle speed the way GM intended, not by vacuum. Kit reads vehicle speed through a sensor installed between the transmission and the speedometer cable. Adjustable speed setting but preset to lock the converter at 42-47 MPH and unlocks below that speed or when the brakes are applied. Connects into the factory pin plug in transmission. Kit can be used with or without computer.

200R-4, TH-350 (W/Converter Lock-Up) & 700R-4.....Square 4-PinRFW TC-70\$195.95

Neutral Safety (or Back-Up) Switch Kit





Will Work With *Lokar* Column Shift Linkage Kits.

Kit can be installed for EITHER neutral safety OR backup light switch NOT BOTH. Kit includes adjustable bracket that mounts to transmission pan, switch, long pan bolts and instructions.

GM TH-350, TH-400, 700R-4.....LKR BL-1400U.....\$35.95

Push Button Neutral Safety Switch





Replacement Neutral Safety Switch for Lokar and Gennie Shifters

Switch is normally open meaning that the button has to be pushed in to achieve continuity between the terminals. Needs only slight movement to activate.

Push Button Neutral Safety Switch......LKR S-68154......\$18.95

One Hundred Forty Two



Under Dash Mount Brake Light Switches



The simple switch just controls the brake light circuit only. Multipurpose switch includes connectors for use with cruise control, transmission converter lockup or anything that requires a circuit interrupt when the brake is applied.



Low Pressure Hydraulic Brake Light Switch

Relay Recommended For Use With Halogen Taillights PAINLESS

Low pressure activation between 20 to 50 psi compared to the stock switch which came on between 60 to 120 psi. Lower pressure means your brake lights come on sooner! Switch has 1/8" NPT connection and comes with low profile connection plug.



Brake Line "T" For Hydraulic Brake Switch

Brass "T" has 1/8" NPT port on the short side (leg) and offered for either 3/16" or 1/4" hard line with inverted flair on the through ends (run).



Heavy Duty Push Button Brake Light Switch

Fully adjustable, waterproof and rated for high amps! This switch is the latest generation in brake light switches. Rated at a much higher amp rating than any other brake switch on the market this switch doe's <u>not require</u> a relay for most applications. Adjustable stainless bracket makes it easily adaptable to most manufactures pedal assemblies.





Adjustable Lever Type Brake Switch

StreetWorks

Waterproof switch features adjustable lever arm allowing for easier installation into just about any vehicle with under floor brake assembly. Includes stainless mounting hardware and terminal ends. If using halogen taillight bulbs a relay kit is recommended for use with this brake switch.



Lever Brake Light Switch



Relay Recommended For Use With Halogen Taillights

Lever style brake light switch is water resistant and can be used under the floor or in the engine compartment if necessary.

Fax Number: 972-495-0057



One Hundred Forty Three



Power Window Switch Crank Regulators

Regulators feature factory style splined shafts to accept your stock or aftermarket style window cranks. Mechanism features internal micro switches to control movement of the power window. Push or pull handle up and down to



operate. Retains the appearance of factory manual windows while having the convenience of power windows. Available for early and late Ford, Mopar and GM applications. Measures 3" x 3" x 5/8" thick x 1-3/8" (shaft length). Sold in pairs. These are made in the U.S.A.!!!

CAROUNA
NOT FOR THEIR

1	Pre '49 Ford/Mopar	CAR EPWS-FM \$139.95
	Pre '49 GM	CAR EPWS-GM \$139.95
1	'49-up Ford & GM	CAR EPWS-FGM \$139.95

Aluminum 3-Wire Switches

Can Be Used For Power Windows, Door Locks, Trunks, Etc...

StreetWorks 3-Wire switches require polarity-reversing relays (included) to control reversing motor operations. (Switches are available without polarity reversing relays at a lesser cost.) All switches include bezels, terminals, wire leads and quality instructions. Triple switch kit is primarily used for power windows and includes one single switch and one dual switch. All are satin finish and are non-illuminated but a "back lighting" kit is available, call for more information.



Dimpled Rocker Switches

Rocker switch itself is taller than its frame and features small recesses in rocker to locate up and down positions.

Single Switch Kit	STW L39BOS	\$77.95
Dual Switch Kit		
Triple Switch Kit	STW L39BOT	\$198.95



Paddle Rocker Switches

Illuminated Aluminum 5-Wire Switches

Can Be Used For Power Windows, Door Locks, Trunks, Etc...

StreetWorks Aluminum rocker switches are a 5-wire type which means they are internally polarity reversing and do not require external relays for reversing motor operation. Switch is very low profile from mounting surface and has two finger-tip recesses with small holes in the center allowing light to pass through. Switches mount



Store Hours:

Monday through Friday 8:00 am to 5:00 pm Saturday 9:00 am to 1:00 pm Central Standard Time



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Windshield Mount Antenna **Best Choice for Steel Cars**

12-Volt amplified antenna is designed to be placed in the windshield and because of its small size is easier hidden behind a rearview mirror. Totally non directional, receives signal from 360 degrees. Antenna head measures 7/8" X 7/8" X 4" and features 8' lead.



Hidden Antenna More Popular To Hide In Fiberglass Cars

In a fiberglass car this antenna can be placed above the headliner or under the dash close to the cowl top. This antenna too is designed to be affixed to the windshield or rear window but because of its larger, unattractive size most people had rather



not put this one on the glass. Antenna requires 12 volt power and must be grounded. Head measures 5/8" X 3/4"

Chrome 12 Volt Horns



Dual horn set has one high and one low tone horn. Chrome metal grille and chromed plastic body covers. Mounting brackets included. Sold in pair sets.



Universal 40 & 70 Amp Relay, Base & Pigtail kit

Relays features a single pole, double throw, 5-terminal design. 12 volt 40 or 70 amp relay, mounting bracket and a 5 wire wiring harness with color coded leads.



Universal Waterproof 40 Amp Relays

The waterproof aspect of this relay makes it perfect for use under the hood, on the frame or any place where

the weather and elements might affect it. Offered with 10' of color coded hi-



temp XLPE coated wire installed with proper crimps and waterproof seals in relay base or in kit form with base, loose wire terminals and wire seals only.





Dual Relay Pack

Used Primarily for Polarity Reversing

Dual 30 amp relays installed in a single base with color coded pigtails. Dakota Digital includes an easy to understand instruction set which explains relay logic and shows how to connect this relay pack to perform a number of common tasks.





Oval Interior Lights



Lights bodies are machined from billet aluminum and feature LED lighting to provide you with a soft white light instead of the dingy yellow light compared to others. Your choice between Radius





Edge design and Angled Edge version with a 30 degree angle cut bezel. Measures 5-1/4" long X 2-1/8" wide X 3/4" deep (behind panel)

Angled Edge	TRI OIL30P	\$59.95
Radius Edge	TRI OILP	\$59.95

Elliptical Dome Light



Paul Atkins Signature Series



This elliptical dome light features a chrome plated die cast bezel and a frosted plastic lens. Measures 4-1/2" long by 2" wide and is 3/4" deep.

Round Dome Lights



Light With Switch Will Not Work With Door Jam Switches

Chrome bezel and frosted white glass lens 4-7/8" O.D. X 3/4" (above headliner). Light without switch can be wired to headlight switch and jam switches (with relay) so it comes on through the ground circuit. Dome light with switch controls the power wire so it can only be turned on and off by the switch.



Interior Lights

Aluminum interior lights can be used in the doors panels, kick panels or wherever you want a classy interior light. All expertly polished.

	2 White I	Lenses	White & Ro	ed Lens
Oval	BLT 60320	\$38.95.	 BLT 60420	\$38.95
Rectangular	BLT 60120	\$38.95,	 BLT 60220	\$38.95

Oval = 4" X 1-3/4" X 1-1/2" Deep / Rect. = 3-5/8" X 1-1/2" X 1-1/4" Deep

Courtesy Light Kit





Kit connects two under dash courtesy light sockets to your headlight switch and door jam switches. Includes sockets with mounting bracket and terminals for bullet, blade or screw type door jam switches. Complete instructions included but not bulbs not included.

Bright Blue Illuminator LED



StreetWorks A little LED that's bright enough to use for illumination. Pale blue color provides a nice hue at night. Use for lighting up your glove box, ash tray or to add accent lighting. Very small size snap into a .156" hole or just RTV in place. NOTE: This LED is too bright for use as an indicator light!

Braided Stainless Door Jam Conduits

Conduits feature one end with a fixed aluminum fitting and an aluminum sleeve bonded to the other end to keep braid from unraveling. An aluminum slide is provided for the conduit to slide through. Fitting and sleeve feature a slip collar with setscrew to butt up against the backside to make installation easy in tight locations. Pair sets.



1/2" I.D.ITS LSS-50\$39.95

Hidden Hinge Door Jam Conduits

Front Hinged or Suicide Hinged Applications

On a hidden hinge application the door pushes out of the opening as the door opens and hinges away. The unique slide on this conduit system features a nylon ball and socket to allow the conduit to slide through but also take a sharp, quick angle as the door first moves off the door jam.





Hidden Hinge Door Jam Conduits (Pair)......ITS BB-1934......\$69.95

Stainless Door Conduits

Conduits are made from stainless spring wire. 1/2" conduits will hold approximately 10 wires, 5/8" conduits will hold approximately 15 wires. Both sizes also available with either hard plastic or aluminum slides. Aluminum

slide kit includes an aluminum anchor for the conduit spring to thread into. The plastic slide kit comes with a rubber grommet the conduit pushes/threads into.

1/2" Set Hard-Plastic Slides......... SPW FWC \$27.95 1/2" Set Aluminum Slides......SPW FWC-BA...... \$53.95 5/8" Set Hard-Plastic Slides...... SPW XLFWC...... \$27.95 5/8" Set Aluminum Slides...... SPW XLFWC-BA \$53.95



Wireless Door Contacts

These contacts are ideal for use in hidden hinge applications as they can sometimes pose a problem using wireless contacts because the door slides out of the door opening. These contacts feature one side a flat contact area allowing the spring loaded pin to slide in/on without interference problems. Available with a built in ground contact for your dome light to eliminate the extra switch. Sold in pair sets, one set per door/jamb.



WITHOUT Dome Li	ight Grounding Contact	
3 Wire Contact	CAR WEK1-3	\$44.95
5 Wire Contact	CAR WEK1-5	\$49.95
7 Wire Contact	CAR WEK1-7	\$54.95
9 Wire Contact	CAR WEK1-9	\$59.95

WITH	Dome Light Groun	nding Contact	
2 Wire	e Contact	CAR WEK2-3	\$44.95
4 Wire	e Contact	CAR WEK2-5	\$49.95
6 Wire	e Contact	CAR WEK2-7	\$54.95
8 Wire	e Contact	CAR WEK2-9	\$59.95

Door Jam Switches



Autowire	
Ideal for interior lights or alarm systems. Priced each.	
Pin Style (Self Adjusting & Self Tapping) AAW 500100 \$8.95	20 00
Snap-In Button Style (7/8" Mounting Hole) AAW 500101 \$9.95	00
Button Style W/Flange (3/4" Mounting Hole) AAW 500102 \$8.95	

Fax Number: 972-495-0057 **One Hundred Forty Seven**



Web: www.SachseRodShop.com Email: sales@SachseRodShop.com

2, 4 & 7 Function Remote Systems

StreetWorks High quality kits come with internal 30amp relays, easy to read and understand instructions and feature an optional built-in safety system to deactivate the remotes when



and feature an optional built-in safety system to deactivate the remotes when the ignition is on. A "backup" wire is also wired into the harness for you to connect to a momentary switch (not included) so that you can gain access into the car should you loose, or close the car doors with the remotes inside the car. No actuators or solenoids are included with these kits.

	2 Function	STW L-GM2 \$149.95
١	4 Function	STW L-QD4 \$169.95
	7 Function	STW L-LK7 \$199.95


10 Function Remote System

The CMD-10K can be installed and configured to remotely release the driver's and passenger's door latches,



provide up and down control of both the driver and passenger side window, as well as release the trunk latch or operate a trunk lift up and down. In addition to this, a pair of auxiliary outputs is provided for external relays. These auxiliary relays can be set up as momentarily on or as latch-on, latch-off. A safety feature partially disables the system when the ignition is on to avoid the accidental opening of a door during the vehicle operation. With the ignition on the only functions that are allowed to work are the control of the power windows DAK CMD-10K.... \$199.95

Basic 3 Function Remote System



Relays Recommended For High Amp Applications (Not Included)

Light duty remote system is recommended for use with screw motor actuators. If you intend to use this kit with solenoids we recommend you install relays between the remote and solenoid. This is a pretty basic kit including a receiver box and two key chain transmitters with instructions for most common installations in opening Bear-Claw latches or door locks.

Basic 3 Function Remote SystemRHC 2-RTA-01......\$74.95

Builder Tip: Remote Control Systems

There is often confusion regarding functions and features in remote systems. Hopefully this will clarify what functions are along with some other explanations to help you make a more informed decision on which system is right for you.

Functions: Each single function or channel is one operation to perform. An example would be that one function could send a signal down a wire (when button is pushed) to operate a solenoid (or screw motor) to open one latch/door. Another example would be to send a signal down a wire to move one power window in one direction. The movement of the window up OR down is each a separate action. Up AND down are two actions and would require different signals from the remote system for each up and down movement.

Polarity Reversing: Most everyone understands that to make a simple fan run one direction you hook one wire to positive and the other to negative and to reverse the direction we change both wires to the opposite poles. Move what was positive to negative and what was negative to positive to get the fan to run in the other direction. The same is true for power windows, locks and trunk lifts. A power window motor runs one way for the window up and the polarity must be reversed for it to run down. Each of these two actions (up and down) will require a separate channel or function from the remote system. One window up and down requires two functions.

Polarity Reversing With Relays: Polarity reversing with relays requires two-relays which connect the two wires from each motor (window or trunk lift) to ground when "relaxed" or off. Each of these two relays is connected to separate functions of the remote system (two relays / two functions). When one function is energized to one of these relays it activates that relay and connects its respective motor wire to positive to make the motor run in a particular direction. When the function is released the relay turns off and the motor stops, activate the other function (relay) and its respective wire is connected to positive and the motor runs the opposite direction. Remember that when the relays are off both motor wires are connected to ground so when either relay is turned on the motor will run in one particular direction.



Order Toll Free: 1-800-495-3904 **Property of the Property of t**

2 & 3 Function Remote Entry Kits With Screw-Motor Actuators 12lb. Pull Actuators Included - For Use With Bear-Claw Style Latches

Systems include receiver, two transmitters, wiring harness, actuators, hardware, weatherproof emergency entry button and built-in safety feature deactivating transmitters when the ignition is on preventing the doors from opening accidentally while driving. Remotes work up to 50' away, give you independent control over driver and passenger doors and have replaceable battery. Instructions included.

3 Function System....... 2 Doors + Trunk.......... ROD 103 \$299.95



40-lb. Pull Solenoids **Strong Enough For Most Stock Type Latches**

Solenoid features sturdy 2-bolt mounting flange and includes 18" of cable, crimp cable anchors, hardware and electrical connectors. Fuse holder with 35 amp fuse and high amperage

rated momentary push button switch also included but can be wired to some remote systems. External relays may be required for use with remote systems.



Screw-Motor Actuators & Connection Rods

12lb. Pull - Designed For Rotary-Claw Type Latch

12 Volt screw-motor type actuator measures 5-1/8" long (to end of eyelet (compressed)) X 1-7/8" wide X 1" thick. Actuators have 7/8" of stroke.




Emergency Entry Systems

Back-Up Cable System For Use With Electric Entry Systems

Cable backup system connects to door or truck latch to manually release the latch should something happen to your electronic entry system or an electrical failure. Connect one end of the cable to the latch and route the other end to an accessible area so the latch can be released with a pull of the cable. Steel inner cable, nylon kink-resistant outer sleeving, anchors, clamps, hardware and instructions.





Door Entry - Reg. Hinge - Braided Stainless Conduit & Aluminum Pull Knob ITS BKD-1 \$34.95 Door Entry - Hidden Hinge - Aluminum Cable End & Aluminum Pull Knob...........ITS BB-1943 \$31.95 Trunk Entry System - Aluminum Cable End & Aluminum Pull KnobITS BKT-2\$31.95

Hidden Hinge Emergency Entry Kit With "Eveball" Grommet

Unique feature to this kit is the grommet/slide in the jam witch allows the braided conduit to not only slide through but the ball will also pivot to take the sharp, quick angle that is characteristic to hidden hinges as the door first moves out of the opening. Basically an improved design of the hidden hinge entry cable kit number BB-1943 above. Hidden Hinge Emergency Entry Kit......ITS BB-1943-P.....\$52.95







Lite'n-Boltz Licence Plate Illumination Bolts





Stainless bolts with windows cut into the side with a white 12 volt LED light. Can be used for glove box lighting, map lights, nostalgic type gauge lighting, whatever you can imagine. 5/16" diameter thread and comes with nut. Four piece kits include two LED's and two license plate mounting bolts and nuts. Thread Size: 5/16"-18 x 3/4"



Rounded Head	2-Piece Kit
Rounded Head	4-Piece Kit
Acorn Head	2-Piece Kit

Satin	
DEI 30302\$19.95	
DEI 30301\$22.95	
Not Available	

Polish	
 DEI 30310	\$22.95
 DEI 30309	\$25.95
 DEI 30311	\$27.95

Hot Rod License Plate Light






Small universal license plate light measures only 2-1/2" x 1-1/4" x 1-1/8" tall. Chrome plated housing with frosted white lens with stainless sheet metal mounting screws and foam mounting pad. 12 volt only.



Art Deco License Plate Light


The So-Cal art deco license plate light is fashioned after automotive designs of the late '30's and '40's die-cast construction and features quality chrome plating. Mounting requires two 3/16" and one 7/8" diameter holes. Includes 12V bulb, pig-tail socket, mounting hardware and neoprene gasket. Light body measures 2-1/2" W x 1-1/2" T x 1-1/4" D



Aluminum Licence Plate Frames

Machined from 6061-T6 billet aluminum and recessed on the back side for the licence plate to set into. Offered as just the perimeter frame only, with tag illumination light or with tag illumination light and 3rd brake light. All frames measure 12-3/8" wide X 6-1/2" tall. Stainless countersunk allen head mounting screws included. Polished to perfection!

Tag Light And 3rd Brake Light	BLT 55520 \$69.95
Tag Light Only (W/Bow-Tie Logo)	BLT 55320 \$59.95
Tag Light Only	BLT 55220 \$49.95
Non-Lighted	BLT 55120 \$31.95



Electric Retractable Tag

Fully automatic electric tag retractor includes wire, fuses mounting hardware and instructions. Unit features a built in safety feature should the tag be subject to a hard forward or backward hit a disc spring washer is installed on the motor shaft to allow the tag mount plate to move without damaging the drive motor or internal mechanism. No provision for tag light, use tag frame with illumination light.



L.E.D. Split-Window 3rd Brake Light

Can Be Wired For Turn Signals

Light features 2 LED groups powered by individual wires allowing each side to be connected to its respective taillight so it can also be used for turn signals. You can wire both wires together so it works like a conventional 3rd brake light. Adjustable bracket compensates for window angle. Light head



Polished Aluminum 3rd Brake Light

Oval style third brake light features swivel base to adjust to rear window angle. Two 12 volt bulbs to help distribute an even light across the lens and is powered by a single wire so it must ground through the light body. Perfectly polished.



3rd Brake Light...... 7" Wide X 1-3/4" Tall X 1" Deep BLT 62220\$49.95

L.E.D. 3rd Brake Lights

Brake lights feature 20 super bright L.E.D. lights. 12 volt lights have single pedestal type mounting with wires passing through mount to exit out the bottom. Measures 7" wide X 2-1/8" tall (total height) X 1" deep.



Rod-Lites

MATCHE

Die cast chrome plated lights feature hollow mounting bolts for wires to pass through. Complete with 12-volt bulbs and amber lenses. Replacement bulbs and lenses are available. Single element lights can be wired for turn signal OR parking lights, dual element light can be wired for both. Sold each.



Small (Single Element) 1-3/8" Tall X 1-5/8" Deep (Lens 1-1/8" X 1-3/4") VIN HR-13302-S \$10.95 Large (Dual Element) 2-3/16" Tall X 2-1/8" Deep (Lens 1-3/4" X 2-3/8") VIN HR-13302-MTS .. \$12.95

Brite Lights RON FRANCIS WIRING



One Hundred Fifty One

Tube License Plate Light

Light is housed in a polished stainless 7/8" diameter X 8" long tube that has a 2-1/2" slot cut into the bottom for light to come through. Tube mounts with two studs that measure 7" across which ironically is the same spacing as all our tag frames.

Tube License Plate LightDMC B-13410-LPL ... \$64.95





Tri-Bar Headlights With Turn Signals



Replacement for standard high & low beam headlights. These come with halogen bulbs, waterproof boot and standard 3 prong style connector. Clear dot in the center and small amber turn signal bulb in the bottom of the reflector with a single element for turn signals only.

H-4 Headlight Turn Signal Kit



If you're running the common H-4 bulbs in your standard or tri-bar headlights, this is just the set-up you need. The turn signal bulb socket simply sets into the 3 prong opening as the H-4 bulb giving you a turn signal inside your headlight. Super bright amber L.E.D. bulbs included. Sold in pair sets.

"Deitz" Style Headlights



Universal Applications

Very popular style head light features slightly deeper bucket than "king bee" style headlight. Lights come with common 7" diameter sealed-beam type headlight bulbs installed. Replacement 7" sealed-beam bulbs can be purchased at any local auto parts store. Wires run through center of mounting bolt. Sold in pair sets.

"King Bee" Style Headlights



Universal Applications - Halogen Bulbs

The most popular headlights for street rods with shallow bucket and nearly flat lens. 7" Diameter lights feature quartz halogen insert bulbs with mirrored glass reflector bonded to a prism effect glass lens. Wiring pigtails are heavy duty because of higher current draw of halogen bulbs. Primer Finish (With Chrome Trim Ring).......VIN KB-13000-QP...\$134.95 Chrome Finish..................VIN KB-13000-QC .. \$134.95

Replacement Parts

Turn Signal "King Bee" Headlights



🌃 Universal Applications – Halogen Bulbs

King Bee style headlights updated with built-in turn signals. Turn signal is an amber dual element 12 volt bulb installed through the back side of the reflector. These 7" diameter headlights feature quartz halogen headlight bulbs with mirrored reflectors bonded to a prism effect glass lens. Listed with polished stainless housing. Painted or chrome housing lights available.

Stainless King Bee Headlights W/Turn Signals......VIN KB-13000-QSSTS.. \$174.95



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Big Headlights

With & Without Built-In Turn Signals

Show quality headlights with chrome plated brass reflectors, correct style glass lenses and 12 volt quarts halogen bulbs. Optional turn signal features amber dual element bulb installed into reflector for running and turn signal circuits. All feature genuine *Ford Script* in lens and body. (*Ford Script* is licensed by *Ford Motor Company*) Headlights without *Script* are available by special order. All headlights sold in pair





sets.	No Turn Signals	l
'32Polished Stainless	.B-13000-QS\$299.95	
'33-'34 Polished Stainless		
'33-'34Primered W/SS Rims	46-13000-QS\$274.95	

With Turn Signals	Ì
 .B-13000-QSTS\$324.95	
 40-13000-QSTS\$319.95	
46-13000-OSTS\$294.95	

'37-'39 Ford "Behind-the-Lens" Headlight System

The *Vintique* "Behind-The-Lens" headlight system mounts a flat quartz halogen headlight unit inside the headlight bucket and shines a clean focused beam through a clear outer lens. Since the outer lens is clear, included is a polished stainless insert liner that gives the inside of the headlight bucket a high-tech, finished appearance. Specially designed aiming bracket, springs and adjusters are included. Kits also include turn signal socket near the top of the headlight that can be seen through the fluting at the top of the outer glass lens.

NOTE: Order special clear outer headlight lenses separately!

Complete Kits – Includes New Headlight Buckets (Shown)

'39 Deluxe.....VIN 91A-13026-QPR..\$299.95

Retrofit Kits – Components To Fit Into Stock Buckets

'39 Deluxe.....VIN 91A-13030-QK12.\$149.95

Lenses & Trim Rings (All Sold Each)

Fax Number: 972-495-0057

'37-'39 Standard Clear Lens......VIN 78-13060-CL.....\$31.95

'37-'39 Standard Trim Ring......VIN 78-13001-RM.....\$31.95

'39 Deluxe Clear Lens VIN 91A-13060-CL\$31.95

'39 Deluxe Trim Ring......VIN 91A-13001-RM....\$31.95



Quarts Halogen Headlight Conversion Kit

'28-'39 Ford / Universal



Converts all types of original reflectors. Kit includes: 12 volt quartz halogen bulbs, heavy duty bulb sockets with wire pigtails, retainer bails and socket to reflector retainer clips.

Halogen Headlight Conversion Kit.....VIN B-13026-QH12 ... \$34.95



Headlight Pigtails

Fits Sealed-Beam & Standard 3 Prong Halogen Bulbs

Headlight plug has 24 inch heavy gauge wire to handle high current draw of aftermarket halogen bulbs. Wire pigtails are color coded green, tan & black to match GM color codes used in many street rod wiring harnesses. Sold each.









Tail & Marker Light Bulbs

RON FRANCIS

Ron Francis Brite Bulbs are far brighter than your average automotive bulbs. Available with different size glass "globes" and in different pin configurations. All priced each.

Large Globe - Approximately 1" diameter, 1-7/8" total length globe with brass body.

Pin Orientation	Replaces	Candle Power	Part Number	Price
Staggered	1157, 1034, 2057	(32/3 orig.) 50/14	RFW 1077	\$6.95
)Staggered	1157A, 2057A	(32/3 orig.) 50/14	RFW 1077A	\$7.95
Straight	1176, 1158	(21/3 orig.) 50/14	RFW 1087	\$6.95
Approximately 3/4"	Jiameter, 1-1/4" total 1	ength globe with brass bo	dy. Often used in cor	nversions.
Straight	N/A	15/3	RFW 1005	\$7.95
Staggered	N/A	15/3	RFW 1007	\$6.95
Straight	67, 89	(3 orig.) 32	RFW 1010	\$5.95
· \\	StaggeredStaggeredStaggeredStraightStraightStraightStraightStraightStaggered	Staggered1157, 1034, 2057 Staggered1157A, 2057A Straight1176, 1158 Approximately 3/4" diameter, 1-1/4" total l StraightN/A	Staggered1157, 1034, 2057 (32/3 orig.) 50/14	Pin Orientation Replaces Candle Power Part Number Staggered

L.E.D. Taillight Bulb

American 12 Volt - Staggered Pin

A direct replacement for the standard 1157 taillight bulb this L.E.D. retrofit features 15 hyper-bright red L.E.Ds. This bulb is a dual intensity and will illuminate taillight and brake light duties. Measures 1-3/4" deep X 1" round head. Sold each.

Universal Snap-In Light Sockets





Both sockets snap into a 3/4" hole and are metal cased which must be grounded.

Single Contact Socket	. AAW	500125	\$8.95
Double Contact Socket	. AAW	500126	\$7.95



Bulb Contact Wire Terminals



These are the small brass wire end terminals that actually contact the lead contacts on the bottom of bulbs when installed in sockets. This is one of those little things that you never really think about until you need one, or ten.

Starburst Lights

Starburst 2010 is manufactured from 304 stainless steel, mirror polished to increase light reflection within the



bezel to enhance the intensity of the ultra bright L.E.D.'s. These high-tech lights are weatherproof and very compact (diameter of a nickel) making them ideal for many applications. Can be used for side marker lights, turn signals, back-up lights, 3rd brake light or anything else you can imagine. Lights themselves are a ultra bright single intensity, to make these function as a dual function running and brake/turn the listed intensity splitter must be used, one per light. Note that this listed RODtronics

intensity splitter is specifically manufactured to work with these Starburst lights. Also available in white by special order. Sold Each.

Amber Starburst Light (Each)	ROD SB2010-A	\$44.95
Red Starburst Light (Each)		
Intensity Splitter (Each - One Per Light For Dual Function)		



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

LED Retrofit Kits

Technostalgia LED retrofit kits are engineered for each specific vehicle and allow for LED brightness and reliability while using the stock lens, and taillight housings. Drilling or modifications to the original housings are not required to install these retrofit kits. Generally installation time is less than 30 minutes. All hardware and installation materials are included in each kit.



F ord			
'29-'36 (No License Light)	TEC	6029	\$79.95
'37 (No License Light)	TEC	6038	\$79.95
'49-'50	TEC	6048	\$79.95
'51	TEC	6049	\$79.95
'65-'66 Mustang	TEC	60111	\$79.95
'67-'68 Mustang (Sequential)	.TEC	60231	\$99.95
'69 Mustang (Sequential)	TEC	60241	\$99.95
'67-'72 Pickup (Fleetside)	TEC	60711	\$79.95
Chevrolet			
'33-'35	TEC	6036	\$79.95
'37-'38	TEC	6033	\$79.95
' 39	TEC	6034	\$79.95
' 55	TEC	60021	\$79.95
' 56	TEC	6005	\$79.95
' 57	TEC	60011	\$79.95
'63-'65 Full Size	TEC	6007	\$79.95
	'29-'36 (No License Light)	'29-'36 (No License Light)TEC '37 (No License Light)TEC '49-'50TEC '51TEC '65-'66 MustangTEC '67-'68 Mustang (Sequential).TEC '69 Mustang (Sequential)TEC '67-'72 Pickup (Fleetside)TEC '67-'738TEC '33-'35TEC '37-'38TEC '55TEC '56TEC	'29-'36 (No License Light)TEC 6029 '37 (No License Light)TEC 6038 '49-'50TEC 6048 '51TEC 6049 '65-'66 MustangTEC 6011¹ '67-'68 Mustang (Sequential) .TEC 6023¹ '69 Mustang (Sequential)TEC 6024¹ '67-'72 Pickup (Fleetside)TEC 6071¹

	_	_		_	
Che	evrol	et ((Con	tinuea	1)

Chevrolet (Continue	d)	
'67 Full Size	TEC 6021	\$79.95
'67-'68 Camaro	TEC 60091	\$79.95
'69 Camaro	TEC 60151	\$79.95
'66-'67 Chevy II / Nova	TEC 60371	\$79.95
'68-'69 Nova	TEC 6044	\$79.95
'70-'72 Nova	TEC 6053	\$79.95
'67 Chevelle	TEC 6012	\$79.95
'68 Chevelle	TEC 60261	\$79.95
'69 Chevelle	TEC 60181	\$79.95
'70 Chevelle	TEC 60171	\$79.95
'71-'72 Chevelle	TEC 6022	\$79.95
'70-'72 Monte Carlo	TEC 60521	\$114.95
'55-'59 Pickup (Stepside)	TEC 6006	\$79.95
'60-'66 Pickup (Fleetside)	TEC 6031	\$79.95
'67-'72 Pickup (Fleetside)	TEC 6019	\$79.95
'73-'87 Pickup (Fleetside)	TEC 6050	\$99.95
alata ana mulaad mamidler than	sa timaaa yyithim t	ha first 1/2

¹ Includes Rapidfire feature. With Rapidfire the brake lights are pulsed rapidly three times within the first 1/2 second of pressing the brake pedal followed by constant on. The cycle is repeated every time the brake pedal is pressed. This feature can be overridden at time of installation.


"No Load" Flasher

LED lights don't pull a great deal amperage and therefore will not operate a traditional bimetal flasher properly. This "no-load" flasher just installs in your fuel panel like any other would and your LEDs will work properly.





LED Dummy Loads



L.E.D. Intensity Splitter

This Intensity Splitter Is NOT Required For Any Of The Taillights Kits We Sell. An LED is a single brightness when energized, it's not a dual element like a traditional taillight bulb. This splitter makes an LED light act like a double filament light with diminished intensity for taillight and full intensity for brakes & turn signals. One kit required for each LED light.



Smooth Design LED Taillights



All new design taillights from Billet Specialties feature smooth styling with one piece safety lenses with dual element LED bulbs and steel housings in a clean and easy to install unit. Billet aluminum bezels are precision machined from 6061-T6 and offered in either polished


or chrome finish.	Sold in pair sets.
	rooved Bezels

Grooved Bezels	
Plain Bezels	

	Polished Finish	
•	BLT 61330\$149.95.	
	BLT 61340\$149.95.	

Chrome Finish
BLT CS61330\$174.95
BLT CS61340\$174.95

Rectangular Aluminum Bezel Taillights



Oval Aluminum Taillights



Polished aluminum bezel taillights have prism cut red lens for maximum light effect. Only 3/8" of polished aluminum bezel and lens are on the outside of the car or truck after installed. The all aluminum body and light socket require approximately 4" behind mounting panel. Bezel design holds concealed mounting studs so no hardware is seen from lens side. Sold in pair sets.

4" Wide x 1-3/4" High x 4" DeepBLT 61520 \$139.95

Universal "Frenched" Taillight Assemblies



Features solid red glass lenses and polished aluminum bezels that mount inside 3-3/4" Diameter x 1-1/2" deep

steel buckets with hidden mounting hardware. Light housing is powder coated white for maximum light reflection and has removable socket assembly from the side to make it as short as possible and to allow access to the bulb without disassembly. Sold in pair sets.

Universal "Frenched" TaillightsAFO 50-1 \$119.95



Pontiac Style Hot Rod Taillights



'50's Hot Rod Style LED Taillights

Resembling the look of a '50 Pontiac taillight these feature 41 high intensity L.E.D.'s. Lights mount on any flat surface requiring only 3 small holes for mounting studs and wires. Molded rubber mounting pad with lip provided. Measures 4-1/2" diameter.

Hot Rod LED Taillights (Each)VIN 50-13405-LED \$46.95



Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Ford Taillights

'32-'37 Driver Side Has Tag Illumination Window - Can Use (2) Right Side Lights For No Tag Window

All lights have 12 volt dual bulbs installed for running light and turn signal circuits and feature solid red real glass lenses. All available special order with blue-dots lenses installed. Most service or replacement parts are available such as tag window lenses, bezels, gaskets and such. Call for more information.



	Leit (Driver)	Right (Passenger)
'32 (Stainless Housing & Bezel)	.VIN 18-13403-DL\$29.95	 VIN 18-13402-DR\$29.95
'33-'36 (Stainless Housing & Bezel)	.VIN 40-13403-DL\$29.95	 VIN 40-13402-DR\$29.95
'37 (Black Housing / Stainless Bezel)	.VIN 78-13403-DL\$36.95	 VIN 78-13402-DR\$36.95
'38-'39 (Black Housing / Stainless Bezel)	Both Sides Use Same Light	 VIN 81A-13405\$22.95
'42-'48 (Black Housing / Stainless Bezel)	Both Sides Use Same Light	 VIN 21A-13405-D\$29.95

AFO Taillights

Requires Larger Opening for Installation

Often the original housing shrouded much of the lens therefor light was only directed into a smaller portion of it. These taillights feature the housing shaped to the lens so the entire lens is filled with light. This larger tapered housing requires a larger hole to install and a cut-out template is provided.







'41-'48 Chevy Taillights

Reproduction 12 volt taillights have glass solid red lens and feature polished stainless trim bezel. Each comes complete with 12 Volt dual element bulb and mounting pad. Sold each. Available with blue dot lens by special order.

 Left Side (Driver)
 PAC C4003L
 \$24.95

 Right Side (Passenger)
 PAC C4003R
 \$24.95



Ford Taillight Lenses

Solid Red Listed - Blue Dot Lenses Available





Die cast glass lenses fit as the originals. Lenses are glass and sometimes have some variance in color intensity. We recommend purchasing these lenses in pairs, we will personally check the two lenses to be sure they match each other. Sold each.

'32 VIN B-13450 \$8.50	'38-'39 VIN 81A-13450 \$8.50
'33-'36VIN 40-13450\$8.50	'40 VIN 01A-13450 \$8.50
'37VIN 78-13450\$8.50	'42-'48VIN 21A-13450 \$8.50