Index For "Frame" Section

Click on page numbers to the right of the description to jump you to that specific page.

Click on page numbers
В
Body 3 Cushion 3 Mounts 3 Shim Kit 3 Brake Line Clamps 8 Bumpers Rearend 4
E
Engine Adapter Plates
F
Frame Webbing
Н
Headlight Mounts8
L
Line Clamps8
M
Motor Mount Crossmembers
R
Rearend Rubber Bumpers4
S
Shock Mounts8Spreader Bars3Steering Box Mounts3
T
Transmission Crossmembers
U
Upper Shock Brackets / Front8





Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Frame Webbing '20's & '30's Vehicles / Universal

Adhesive backed woven cloth type material to place between the frame and body. 2" wide X 1/8" thick. 20' roll.






Neoprene Body Cushion '20's & '30's Vehicles / Universal

Used between the body and frame and other places to prevent metal-to-metal contact. Smooth black neoprene is an alternative to the original style woven material. 2" wide X 1/8" thick X 25' length.







Body Shim Kit

Washers won't cut it especially when you have to install, remove and maybe install again shims when you're trying to adjust the body to make the doors work correctly. Kit includes (10) 2" X 1-1/2" steel shims with U-shape slot for easy installation, removal and maybe



Body To Frame Cushion Sets



High density moulded rubber cushions are the correct size and shape for each application. Each kit includes all pieces necessary to mount the body to the frame and includes a location diagram.



So-Cal '28-'32 Front Crossmember

Stamped steel crossmember mounts radiator in stock location and uses stock type front spring. Lowers car 1" from stock. The center has a 7-degree rake to eliminate shackle bind and improve caster adjustment. Crossmember is wide enough to fit inside un-boxed '32 rails or can be cut down to fit a boxed frame.



Universal Vega / 525 Steering Box Bracket



Steel bracket has nut zerts welded on it for installation of Vega or 525 type steering box. Plate welds to inside of boxed frame rail. Includes gusset for added strength.



'32 Ford Spreader Bars

Polished stainless steel spreader bars come with polished stainless mounting hardware. Made in the U.S.A.

Front...(23-1/8" X 1-1/2" Dia.) VIN B-5041-SS\$68.95 Rear...... (39-3/8" X 2" Dia.)......VIN B-18575-SB....\$108.95



Fax Number: 972-495-0057



LS Engine Motor Mount Adapter Plates





Steel adapter plates mount to the side of the LS block to mount the early GM non-interlocking style motor mounts. This allows you to put an LS engine on the frame mounts that were originally an early side mount small block frame. Part number LS150 positions the LS engine where the parting line of the engine & transmission is in the original location. LS166 moves the LS engine back 1" moving it back to the





firewall since you don't need that antique technology distributor room any more. Kits sold complete with two adapter plates and hardware. Early rubber motor mounts not included with these kits.

Puts Transmission in Original Location	WLD	LS150.	\$76.95
Moves Transmission Back 1"	WLD	LS166.	\$79.95

"Econo" Universal GM Motor Mounts

Welding Required - Uses Early Non-Interlocking Type Mounts





An important consideration when using the early style mount is to have a "pad" under the mount that the engine weight rests on, not all resting on the through bolt. With this kit you bend the top bracket



Hi-Tech Universal Engine Mounts Fits Small and Big Block Chevy Engines



Tube Style Engine Mount

Universal tube style crossmember is 37" long. Crossmember is designed to be welded into place.



Rear Axle Rubber Bumpers

Medium density rubber bumper with convenient bolt on base. A direct replacement rear axle bumper for '32 Ford under frame rail above rear end but we install these in just about any situation where the rear end just might hit the frame. Measures 3-1/4" long (w/flanges) X 1-1/2" wide X 9/16" tall. Sold each.

Sid: Si

Order Toll Free: 1-800-495-3904 Tech. & Info. Line: 1-972-495-1557

Universal Biscuit Style Motor Mounts - Weld-On Style Requires 3 Parts: 1)Engine Brackets, 2)Frame Brackets 3) Rubber Cushions To Complete A Full Engine Mounting Kit


Universal mounts are for applications for which a specific kit is not manufactured. You must first measure the inside measurement of your <u>boxed</u> frame. Then select a combination of engine brackets (17" or 19" width) and frame brackets (4 lengths available) to fit close to your frames measurement. Some minor trimming of frame bracket may be necessary.



<u>1) Engine Brackets</u> - Bolts to the factory motor mount bosses on the sides of the engine block and has hole for bolt

through rubber "biscuit" cushion. Measurements given for these engine brackets are center to center of rubber cushion holes when installed on engine block (measured through the block from one side to the other).





General Rule: If inside dimension of frame is 20" to 23", use 17" engine brackets. If inside distance of frame measures 23" to 26" use 19" engine brackets. If much over 26" use tube style crossmember.

Buick V-6 (Distributor Up Front)
17" Mount Centers CHA CS-6417\$39.95
19" Mount Centers CHA CS-6419\$39.95
Mopar "Hemi" 331-354-392 (51'-58')
19" Mount Centers CHA CS-4319 \$39.95
Mopar 273-318 (64' & Later)
17" Mount CentersCHA CS-4117\$39.95
19" Mount CentersCHA CS-4119\$39.95
Mopar 340-360 (68' & Later)
17" Mount Centers CHA CS-4217\$39.95
19" Mount Centers CHA CS-4219\$39.95

Chevrolet LS

2) Frame Brackets - Weld-on brackets are folded to give ample gusset area to support the weight of the engine and should only be shortened slightly. Must be welded into boxed frame rails. Measured from weld on edge to center of hole.



Bracket	With 17" Engine Mounts	With 19" Engine Mounts	
Length	Fits Frame Widths	Fits Frame Widths	
2-1/8"	20" to 21-1/4"	 21-1/4" to 23-1/4"	CHA AS-0305A \$27.95
2-5/8"	21-1/4" to 22-1/4"	 23-1/4" to 24-1/4"	CHA AS-0305B \$27.95
2-7/8"	22-1/4" to 22-3/4"	 24-1/4" to 24-3/4"	CHA AS-0305C \$27.95
3-5/8"	22-3/4" to 24-1/4"	 24-3/4" to 26-1/4"	CHA AS-0305D \$27.95

3) Engine Cushion Set Fits All Chassis Engineering Engine Mount Kits

Manufactured from quality material to resist gas and oil. Mounts give great shock and sound absorption with large cross section to support heavier engines. These are also a direct replacement for the 32'-48' Ford flathead mounts. Complete set includes cushions with through bolts for both sides.



Fax Number: 972-495-0057



'55-'57 Chevy Engine Mounting Kit (Side Mounts)



Bolt-In Kit Replaces Original Front Mounts

Truly bolt-in kit includes frame brackets and early style non-interlocking engine mounts to complete the installation. Kit moves engine forward slightly to allow for extra firewall clearance. Use TCI '55-'57 transmission crossmember with this kit. Hardware and instructions included.

Small Block Che	evy	TCI	725-7005-8	30	\$114.95
Big Block Chev	y	TCI	725-7005-8	31	\$114.95

Weld-In Motor Mounts



Ford Chassis Mounting Chevrolet Engine, Call For Ford Engine Mounts



Steel weld-in style mounts weld inside of boxed frame. Mounts have pad to support the weight of engine on pad not through actual bolt. Designed for the early style non-interlocking mounts.

'28-'31	Big Block	P&J 3005	\$79.95)	 Small Block	P&J 2005	\$79.95
	_	P&J 3015				
		P&J 4015				

Polyurethane Engine & Transmission Mounts



Small & Big Block Chevrolet Engine All GM Transmissions

Steel framing with cast in black polyurethane to absorb vibrations. Motor mounts fit the applications for the early style GM non-interlocking type mounts but these mounts do feature an interlocking framework within the polyurethane body. No hardware.

	Tello W Zille I illish		4
Engine Mounts (Pair)	SRS 7135\$84.95	 SRS 7132\$109.95	1
Transmission Mount (Each)			-

Vellow Zinc Finish

Chevy Rubber Engine Mounts



Fits Small And Big Block Chevrolet Engines

Sighsp e

Early style non-interlocking mount fits *TCI*, *Pete & Jakes* and others frame engine mounts. Think this is no big deal to get? Try running down to your local "O'-Zone" parts store and tell them you want a early style motor mount

Rubber GM Transmission Mount



Fits Turbo 350, 700R-4, Powerglide, Standard Shift & Turbo 400



Most GM transmissions had the same bolt spacing for the tranny mount. The bastard of the bunch was the turbo 400, it had a wider bolt pattern than most of the other GM transmissions. This mount has slotted bolt holes so

it fits all. No hardware included.

Chrome Finish





Order Toll Free: 1-800-495-3904 **Tech. & Info. Line: 1-972-495-1557**

Classic Truck Transmission Crossmembers

Bolt-in Crossmembers Required For Use With Most Under Floor Power Brake Assemblies

Same part number fits both Chevrolet and Ford as the frame cross measurement is roughly the same among all these trucks at the transmission area.







'55-'57 Chevy Transmission Crossmember Should Only Be Used In Conjunction With Engine "Side Mount" Conversion

Bolt-in transmission crossmember uses stock type rubber transmission mounts and can be used with most all transmissions. Hardware included.







Universal '36-'54 Chevy Transmission Crossmember

Titled as "Universal" because this crossmember features frame brackets which set over the top of "top hat" style Chevy frame and can be positioned just about anywhere along the frame rail. This






allows for use with other manufactures or home made engine mounts. Most aftermarket brake pedal kits for these cars require replacing the original transmission crossmember

to something like this one. Bolt-in plates come with frame reinforcement caps.

Universal Transmission Crossmember For Use Only With "Side" Type Engine Mounts

Tube style crossmember can be cut to length and comes with bolt in flange kit but can be welded if needed. Crossmember drop is measured from top of tube off the frame to top of



transmission mount mounting flange.	Fits Chassis Engineering rubber transmission	n mounts sold separately.
0" Drop	48" Overall Width	CHA AT-0050 \$64.95
2" Drop	47" Overall Width	CHA AT-0052 \$64.95
4" Drop	46" Overall Width	CHA AT-0054 \$64.95
6" Drop	44" Overall Width	CHA AT-0056 \$64.95
8" Drop	42" Overall Width	CHA AT-0058 \$64.95

Universal Transmission Mount



Universal transmission mount crossmember has 6" drop and is 38" wide. Crossmember comes with flange kit to be installed

as a bolt-in or can be welded. Accepts most rubber transmission mounts.

Fax Number: 972-495-0057

Hi-Boy Upper Shock & Headlight Mount Combo







Weld-on bracket is a tubular design that features headlight mounting cup and upper tube-shock mounting hole. Mount also has gusset to add strength to the frame attachment point. Hole in headlight cup is 5/8", hole for shock mount is 7/16". Mount measures 7" (vertically) from bottom of tube to top of headlight cup.

Hi-Boy Shock & Headlight Mount Combo (Pair).......P&J 1095.......\$124.95





Upper Shock Brackets



Listed primarily for front applications but can be modified for just about any application. All mounts are manufactured from mild steel and have hole in upper bracket for 7/16" diameter bolt. NOT to be used to mount coil-over shocks.

Weld-On...... Hiboys - Full Fendered '32 - Shock Fits Between Plates (4 Plates)......P&J 1081..........\$36.95 Bolt-On....... Model A & '32.........................P&J 1082.......\$54.95



S

Stainless Line Clamps

Stainless one piece clamps and double clamps trap the line(s) against whatever you are attaching them to. Clamps are precision made so that the lines fit tight and will not rattle or move after installed. Stainless button head 10-32 machine screws and stainless Phillip head sheet metal screws included.

Buger Bomponents

Single Lin	e Clamps		
3/16"	(12)	KUG SGL3/16	\$17.95
1/4"	(12)	KUG SGL1/4	\$17.95
5/16"	(12)	KUG SGL5/16	\$17.95
3/8"	(12)	KUG SGL3/8	\$17.95
1/2"	(12)	KUG SGL1/2	\$17.95
5/8"	(8)	KUG SGL5/8	\$17.95
3/4"	(8)	KUG SGL3/4	\$17.95
7/8"	(8)	KUG SGL7/8	\$17.95

Double Line Clamps

3/16" X 3/16"...(6) ... KUG DBL3/16X3/16 ...\$17.95 3/16" X 3/8"....(6) ... KUG DBL3/16X3/8\$17.95 1/4" X 1/4".....(6) KUG DBL1/4X1/4\$17.95 5/16" X 5/16"...(6) ... KUG DBL5/16X5/16 ...\$17.95 5/16" X 3/8"....(6) ... KUG DBL5/16X3/8\$17.95 3/8" X 3/8".....(6) KUG DBL3/8X3/8\$17.95 1/2" X 1/2".....(6) KUG DBL1/2X1/2\$17.95 5/8" X 5/8".....(4) KUG DBL5/8X5/8\$17.95 3/4" X 3/4".....(4) KUG DBL3/4X3/4\$17.95 7/8" X 7/8".....(4) KUG DBL3/4X3/4\$17.95



Aluminum Line Clamps

2-Piece clamps fit all the way around the line and hold it slightly off the frame. Clamps interlock and come with stainless screws to thread into the frame.

3/16"	BLT 65110\$11.95
1/4"	BLT 65210\$11.95
5/16"	BLT 65310\$11.95
3/8"	BLT 65410\$11.95
1/2"	BLT 65510\$13.95